

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $18 \div 8 = 2 \dots 2$

② $44 \div 5 = 8 \dots 4$

③ $59 \div 8 = 7 \dots 3$

④ $17 \div 5 = 3 \dots 2$

⑤ $55 \div 9 = 6 \dots 1$

⑥ $29 \div 8 = 3 \dots 5$

⑦ $29 \div 5 = 5 \dots 4$

⑧ $26 \div 3 = 8 \dots 2$

⑨ $19 \div 6 = 3 \dots 1$

⑩ $30 \div 4 = 7 \dots 2$

⑪ $45 \div 7 = 6 \dots 3$

⑫ $64 \div 7 = 9 \dots 1$

⑬ $18 \div 5 = 3 \dots 3$

⑭ $7 \div 4 = 1 \dots 3$

⑮ $43 \div 9 = 4 \dots 7$

⑯ $36 \div 7 = 5 \dots 1$

⑰ $69 \div 9 = 7 \dots 6$

⑱ $33 \div 9 = 3 \dots 6$

⑲ $50 \div 6 = 8 \dots 2$

⑳ $44 \div 9 = 4 \dots 8$

㉑ $45 \div 6 = 7 \dots 3$

㉒ $8 \div 6 = 1 \dots 2$

㉓ $52 \div 9 = 5 \dots 7$

㉔ $26 \div 8 = 3 \dots 2$

㉕ $31 \div 7 = 4 \dots 3$

⑳ $43 \div 5 = 8 \dots 3$

㉗ $47 \div 5 = 9 \dots 2$

㉘ $17 \div 7 = 2 \dots 3$

㉙ $25 \div 4 = 6 \dots 1$

㉚ $21 \div 9 = 2 \dots 3$

㉛ $34 \div 4 = 8 \dots 2$

㉜ $30 \div 7 = 4 \dots 2$

㉝ $17 \div 2 = 8 \dots 1$

㉞ $31 \div 5 = 6 \dots 1$

㉟ $22 \div 9 = 2 \dots 4$

㊱ $13 \div 5 = 2 \dots 3$

㊲ $16 \div 9 = 1 \dots 7$

㊳ $79 \div 9 = 8 \dots 7$

㊴ $5 \div 2 = 2 \dots 1$

㊵ $23 \div 7 = 3 \dots 2$

㊶ $26 \div 4 = 6 \dots 2$

㊷ $13 \div 6 = 2 \dots 1$

㊸ $57 \div 6 = 9 \dots 3$

㊹ $27 \div 8 = 3 \dots 3$

㊺ $57 \div 8 = 7 \dots 1$

㊻ $27 \div 6 = 4 \dots 3$

㊼ $34 \div 8 = 4 \dots 2$

㊽ $52 \div 6 = 8 \dots 4$

㊾ $14 \div 9 = 1 \dots 5$

㊿ $9 \div 7 = 1 \dots 2$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $37 \div 6 = 6 \dots 1$

② $60 \div 7 = 8 \dots 4$

③ $34 \div 9 = 3 \dots 7$

④ $36 \div 8 = 4 \dots 4$

⑤ $13 \div 7 = 1 \dots 6$

⑥ $64 \div 9 = 7 \dots 1$

⑦ $38 \div 5 = 7 \dots 3$

⑧ $39 \div 9 = 4 \dots 3$

⑨ $16 \div 5 = 3 \dots 1$

⑩ $48 \div 7 = 6 \dots 6$

⑪ $28 \div 9 = 3 \dots 1$

⑫ $57 \div 7 = 8 \dots 1$

⑬ $74 \div 9 = 8 \dots 2$

⑭ $52 \div 8 = 6 \dots 4$

⑮ $51 \div 9 = 5 \dots 6$

⑯ $37 \div 7 = 5 \dots 2$

⑰ $40 \div 7 = 5 \dots 5$

⑱ $42 \div 5 = 8 \dots 2$

⑲ $33 \div 5 = 6 \dots 3$

⑳ $79 \div 8 = 9 \dots 7$

㉑ $55 \div 7 = 7 \dots 6$

㉒ $28 \div 8 = 3 \dots 4$

㉓ $76 \div 8 = 9 \dots 4$

㉔ $65 \div 9 = 7 \dots 2$

㉕ $63 \div 8 = 7 \dots 7$

⑳ $74 \div 8 = 9 \dots 2$

㉗ $14 \div 6 = 2 \dots 2$

㉘ $33 \div 7 = 4 \dots 5$

㉙ $70 \div 9 = 7 \dots 7$

㉚ $16 \div 6 = 2 \dots 4$

㉛ $49 \div 6 = 8 \dots 1$

㉜ $39 \div 7 = 5 \dots 4$

㉝ $24 \div 9 = 2 \dots 6$

㉞ $87 \div 9 = 9 \dots 6$

㉟ $36 \div 5 = 7 \dots 1$

㊱ $14 \div 8 = 1 \dots 6$

㊲ $30 \div 9 = 3 \dots 3$

㊳ $33 \div 4 = 8 \dots 1$

㊴ $10 \div 6 = 1 \dots 4$

㊵ $43 \div 6 = 7 \dots 1$

㊶ $25 \div 9 = 2 \dots 7$

㊷ $31 \div 6 = 5 \dots 1$

㊸ $68 \div 7 = 9 \dots 5$

㊹ $54 \div 7 = 7 \dots 5$

㊺ $11 \div 3 = 3 \dots 2$

㊻ $89 \div 9 = 9 \dots 8$

㊼ $38 \div 8 = 4 \dots 6$

㊽ $42 \div 8 = 5 \dots 2$

㊾ $61 \div 7 = 8 \dots 5$

㊿ $37 \div 5 = 7 \dots 2$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $15 \div 9 = 1 \dots 6$

② $28 \div 5 = 5 \dots 3$

③ $8 \div 5 = 1 \dots 3$

④ $15 \div 6 = 2 \dots 3$

⑤ $41 \div 5 = 8 \dots 1$

⑥ $56 \div 6 = 9 \dots 2$

⑦ $83 \div 9 = 9 \dots 2$

⑧ $12 \div 8 = 1 \dots 4$

⑨ $7 \div 3 = 2 \dots 1$

⑩ $46 \div 9 = 5 \dots 1$

⑪ $9 \div 2 = 4 \dots 1$

⑫ $23 \div 5 = 4 \dots 3$

⑬ $32 \div 6 = 5 \dots 2$

⑭ $55 \div 6 = 9 \dots 1$

⑮ $26 \div 5 = 5 \dots 1$

⑯ $69 \div 8 = 8 \dots 5$

⑰ $23 \div 3 = 7 \dots 2$

⑱ $20 \div 7 = 2 \dots 6$

⑲ $34 \div 7 = 4 \dots 6$

⑳ $41 \div 9 = 4 \dots 5$

㉑ $44 \div 6 = 7 \dots 2$

㉒ $33 \div 8 = 4 \dots 1$

㉓ $29 \div 6 = 4 \dots 5$

㉔ $13 \div 3 = 4 \dots 1$

㉕ $30 \div 8 = 3 \dots 6$

⑳ $46 \div 5 = 9 \dots 1$

㉑ $43 \div 7 = 6 \dots 1$

㉒ $25 \div 6 = 4 \dots 1$

㉓ $29 \div 3 = 9 \dots 2$

㉔ $17 \div 4 = 4 \dots 1$

㉕ $12 \div 7 = 1 \dots 5$

㉖ $10 \div 3 = 3 \dots 1$

㉗ $53 \div 8 = 6 \dots 5$

㉘ $49 \div 9 = 5 \dots 4$

㉙ $22 \div 7 = 3 \dots 1$

㉚ $78 \div 8 = 9 \dots 6$

㉛ $37 \div 9 = 4 \dots 1$

㉜ $23 \div 8 = 2 \dots 7$

㉝ $11 \div 6 = 1 \dots 5$

㉞ $28 \div 6 = 4 \dots 4$

㉟ $40 \div 9 = 4 \dots 4$

㊱ $68 \div 8 = 8 \dots 4$

㊲ $45 \div 8 = 5 \dots 5$

㊳ $29 \div 9 = 3 \dots 2$

㊴ $65 \div 8 = 8 \dots 1$

㊵ $61 \div 9 = 6 \dots 7$

㊶ $17 \div 8 = 2 \dots 1$

㊷ $10 \div 9 = 1 \dots 1$

㊸ $66 \div 8 = 8 \dots 2$

㊹ $20 \div 8 = 2 \dots 4$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $31 \div 4 = 7 \dots 3$

② $13 \div 4 = 3 \dots 1$

③ $59 \div 6 = 9 \dots 5$

④ $8 \div 7 = 1 \dots 1$

⑤ $9 \div 4 = 2 \dots 1$

⑥ $23 \div 4 = 5 \dots 3$

⑦ $17 \div 6 = 2 \dots 5$

⑧ $53 \div 6 = 8 \dots 5$

⑨ $11 \div 7 = 1 \dots 4$

⑩ $62 \div 8 = 7 \dots 6$

⑪ $37 \div 4 = 9 \dots 1$

⑫ $50 \div 9 = 5 \dots 5$

⑬ $46 \div 8 = 5 \dots 6$

⑭ $75 \div 8 = 9 \dots 3$

⑮ $13 \div 8 = 1 \dots 5$

⑯ $53 \div 9 = 5 \dots 8$

⑰ $46 \div 7 = 6 \dots 4$

⑱ $8 \div 3 = 2 \dots 2$

⑲ $59 \div 9 = 6 \dots 5$

⑳ $19 \div 5 = 3 \dots 4$

㉑ $23 \div 6 = 3 \dots 5$

㉒ $29 \div 4 = 7 \dots 1$

㉓ $19 \div 4 = 4 \dots 3$

㉔ $11 \div 2 = 5 \dots 1$

㉕ $16 \div 7 = 2 \dots 2$

⑳ $12 \div 9 = 1 \dots 3$

㉗ $12 \div 5 = 2 \dots 2$

㉘ $11 \div 8 = 1 \dots 3$

㉙ $25 \div 7 = 3 \dots 4$

㉚ $42 \div 9 = 4 \dots 6$

㉛ $38 \div 6 = 6 \dots 2$

㉜ $75 \div 9 = 8 \dots 3$

㉝ $39 \div 8 = 4 \dots 7$

㉞ $27 \div 7 = 3 \dots 6$

㉟ $85 \div 9 = 9 \dots 4$

㊱ $55 \div 8 = 6 \dots 7$

㊲ $21 \div 5 = 4 \dots 1$

㊳ $60 \div 9 = 6 \dots 6$

㊴ $11 \div 4 = 2 \dots 3$

㊵ $19 \div 7 = 2 \dots 5$

㊶ $15 \div 4 = 3 \dots 3$

㊷ $22 \div 5 = 4 \dots 2$

㊸ $35 \div 4 = 8 \dots 3$

㊹ $35 \div 9 = 3 \dots 8$

㊺ $32 \div 9 = 3 \dots 5$

㊻ $22 \div 8 = 2 \dots 6$

㊼ $14 \div 3 = 4 \dots 2$

㊽ $35 \div 8 = 4 \dots 3$

㊾ $60 \div 8 = 7 \dots 4$

㊿ $51 \div 7 = 7 \dots 2$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $7 \div 6 = 1 \dots 1$

② $47 \div 9 = 5 \dots 2$

③ $40 \div 6 = 6 \dots 4$

④ $35 \div 6 = 5 \dots 5$

⑤ $31 \div 8 = 3 \dots 7$

⑥ $61 \div 8 = 7 \dots 5$

⑦ $54 \div 8 = 6 \dots 6$

⑧ $71 \div 8 = 8 \dots 7$

⑨ $49 \div 5 = 9 \dots 4$

⑩ $11 \div 9 = 1 \dots 2$

⑪ $18 \div 7 = 2 \dots 4$

⑫ $20 \div 9 = 2 \dots 2$

⑬ $24 \div 7 = 3 \dots 3$

⑭ $65 \div 7 = 9 \dots 2$

⑮ $20 \div 6 = 3 \dots 2$

⑯ $66 \div 7 = 9 \dots 3$

⑰ $38 \div 9 = 4 \dots 2$

⑱ $21 \div 8 = 2 \dots 5$

⑲ $24 \div 5 = 4 \dots 4$

⑳ $76 \div 9 = 8 \dots 4$

㉑ $5 \div 3 = 1 \dots 2$

㉒ $39 \div 5 = 7 \dots 4$

㉓ $57 \div 9 = 6 \dots 3$

㉔ $19 \div 9 = 2 \dots 1$

㉕ $71 \div 9 = 7 \dots 8$

⑳ $6 \div 4 = 1 \dots 2$

㉗ $33 \div 6 = 5 \dots 3$

㉘ $17 \div 3 = 5 \dots 2$

㉙ $78 \div 9 = 8 \dots 6$

㉚ $46 \div 6 = 7 \dots 4$

㉛ $15 \div 7 = 2 \dots 1$

㉜ $58 \div 8 = 7 \dots 2$

㉝ $58 \div 6 = 9 \dots 4$

㉞ $62 \div 9 = 6 \dots 8$

㉟ $10 \div 8 = 1 \dots 2$

㊱ $14 \div 5 = 2 \dots 4$

㊲ $23 \div 9 = 2 \dots 5$

㊳ $51 \div 6 = 8 \dots 3$

㊴ $51 \div 8 = 6 \dots 3$

㊵ $15 \div 2 = 7 \dots 1$

㊶ $88 \div 9 = 9 \dots 7$

㊷ $50 \div 8 = 6 \dots 2$

㊸ $3 \div 2 = 1 \dots 1$

㊹ $69 \div 7 = 9 \dots 6$

㊺ $62 \div 7 = 8 \dots 6$

㊻ $47 \div 6 = 7 \dots 5$

㊼ $47 \div 8 = 5 \dots 7$

㊽ $15 \div 8 = 1 \dots 7$

㊾ $6 \div 5 = 1 \dots 1$

㊿ $26 \div 7 = 3 \dots 5$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $27 \div 4 = 6 \dots 3$

② $48 \div 5 = 9 \dots 3$

③ $21 \div 4 = 5 \dots 1$

④ $9 \div 5 = 1 \dots 4$

⑤ $13 \div 2 = 6 \dots 1$

⑥ $10 \div 7 = 1 \dots 3$

⑦ $13 \div 9 = 1 \dots 4$

⑧ $9 \div 8 = 1 \dots 1$

⑨ $38 \div 7 = 5 \dots 3$

⑩ $9 \div 6 = 1 \dots 3$

⑪ $14 \div 4 = 3 \dots 2$

⑫ $22 \div 6 = 3 \dots 4$

⑬ $22 \div 3 = 7 \dots 1$

⑭ $21 \div 6 = 3 \dots 3$

⑮ $38 \div 4 = 9 \dots 2$

⑯ $68 \div 9 = 7 \dots 5$

⑰ $4 \div 3 = 1 \dots 1$

⑱ $47 \div 7 = 6 \dots 5$

⑲ $73 \div 8 = 9 \dots 1$

⑳ $77 \div 9 = 8 \dots 5$

㉑ $32 \div 5 = 6 \dots 2$

㉒ $5 \div 4 = 1 \dots 1$

㉓ $7 \div 5 = 1 \dots 2$

㉔ $32 \div 7 = 4 \dots 4$

㉕ $11 \div 5 = 2 \dots 1$

⑳ $19 \div 8 = 2 \dots 3$

㉑ $73 \div 9 = 8 \dots 1$

㉒ $26 \div 9 = 2 \dots 8$

㉓ $34 \div 6 = 5 \dots 4$

㉔ $49 \div 8 = 6 \dots 1$

㉕ $67 \div 9 = 7 \dots 4$

㉖ $86 \div 9 = 9 \dots 5$

㉗ $39 \div 6 = 6 \dots 3$

㉘ $43 \div 8 = 5 \dots 3$

㉙ $18 \div 4 = 4 \dots 2$

㉚ $39 \div 4 = 9 \dots 3$

㉛ $56 \div 9 = 6 \dots 2$

㉜ $59 \div 7 = 8 \dots 3$

㉝ $48 \div 9 = 5 \dots 3$

㉞ $58 \div 7 = 8 \dots 2$

㉟ $31 \div 9 = 3 \dots 4$

㊱ $44 \div 8 = 5 \dots 4$

㊲ $37 \div 8 = 4 \dots 5$

㊳ $41 \div 8 = 5 \dots 1$

㊴ $44 \div 7 = 6 \dots 2$

㊵ $84 \div 9 = 9 \dots 3$

㊶ $7 \div 2 = 3 \dots 1$

㊷ $77 \div 8 = 9 \dots 5$

㊸ $53 \div 7 = 7 \dots 4$

㊹ $25 \div 8 = 3 \dots 1$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $46 \div 5 = 9 \dots 1$

② $14 \div 9 = 1 \dots 5$

③ $29 \div 4 = 7 \dots 1$

④ $28 \div 6 = 4 \dots 4$

⑤ $11 \div 9 = 1 \dots 2$

⑥ $66 \div 7 = 9 \dots 3$

⑦ $43 \div 7 = 6 \dots 1$

⑧ $31 \div 5 = 6 \dots 1$

⑨ $74 \div 8 = 9 \dots 2$

⑩ $83 \div 9 = 9 \dots 2$

⑪ $16 \div 5 = 3 \dots 1$

⑫ $13 \div 6 = 2 \dots 1$

⑬ $59 \div 6 = 9 \dots 5$

⑭ $17 \div 9 = 1 \dots 8$

⑮ $44 \div 8 = 5 \dots 4$

⑯ $39 \div 9 = 4 \dots 3$

⑰ $20 \div 6 = 3 \dots 2$

⑱ $32 \div 7 = 4 \dots 4$

⑲ $5 \div 2 = 2 \dots 1$

⑳ $38 \div 4 = 9 \dots 2$

㉑ $41 \div 6 = 6 \dots 5$

㉒ $26 \div 5 = 5 \dots 1$

㉓ $45 \div 8 = 5 \dots 5$

㉔ $65 \div 7 = 9 \dots 2$

㉕ $48 \div 5 = 9 \dots 3$

⑳ $17 \div 5 = 3 \dots 2$

㉗ $16 \div 3 = 5 \dots 1$

㉘ $34 \div 6 = 5 \dots 4$

㉙ $12 \div 7 = 1 \dots 5$

㉚ $11 \div 6 = 1 \dots 5$

㉛ $55 \div 9 = 6 \dots 1$

㉜ $47 \div 5 = 9 \dots 2$

㉝ $52 \div 8 = 6 \dots 4$

㉞ $5 \div 3 = 1 \dots 2$

㉟ $37 \div 7 = 5 \dots 2$

㊱ $52 \div 6 = 8 \dots 4$

㊲ $10 \div 4 = 2 \dots 2$

㊳ $9 \div 8 = 1 \dots 1$

㊴ $53 \div 6 = 8 \dots 5$

㊵ $11 \div 8 = 1 \dots 3$

㊶ $54 \div 7 = 7 \dots 5$

㊷ $25 \div 8 = 3 \dots 1$

㊸ $59 \div 8 = 7 \dots 3$

㊹ $21 \div 5 = 4 \dots 1$

㊺ $14 \div 5 = 2 \dots 4$

㊻ $6 \div 4 = 1 \dots 2$

㊼ $36 \div 7 = 5 \dots 1$

㊽ $53 \div 8 = 6 \dots 5$

㊾ $42 \div 9 = 4 \dots 6$

㊿ $66 \div 8 = 8 \dots 2$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $49 \div 5 = 9 \dots 4$

② $69 \div 7 = 9 \dots 6$

③ $29 \div 5 = 5 \dots 4$

④ $39 \div 6 = 6 \dots 3$

⑤ $82 \div 9 = 9 \dots 1$

⑥ $37 \div 8 = 4 \dots 5$

⑦ $55 \div 8 = 6 \dots 7$

⑧ $41 \div 9 = 4 \dots 5$

⑨ $36 \div 5 = 7 \dots 1$

⑩ $60 \div 7 = 8 \dots 4$

⑪ $87 \div 9 = 9 \dots 6$

⑫ $33 \div 9 = 3 \dots 6$

⑬ $12 \div 8 = 1 \dots 4$

⑭ $16 \div 9 = 1 \dots 7$

⑮ $9 \div 7 = 1 \dots 2$

⑯ $7 \div 5 = 1 \dots 2$

⑰ $30 \div 8 = 3 \dots 6$

⑱ $26 \div 7 = 3 \dots 5$

⑲ $73 \div 8 = 9 \dots 1$

⑳ $25 \div 7 = 3 \dots 4$

㉑ $62 \div 8 = 7 \dots 6$

㉒ $68 \div 7 = 9 \dots 5$

㉓ $22 \div 4 = 5 \dots 2$

㉔ $32 \div 5 = 6 \dots 2$

㉕ $56 \div 6 = 9 \dots 2$

⑳ $20 \div 8 = 2 \dots 4$

㉗ $20 \div 7 = 2 \dots 6$

㉘ $64 \div 9 = 7 \dots 1$

㉙ $29 \div 3 = 9 \dots 2$

㉚ $19 \div 9 = 2 \dots 1$

㉛ $24 \div 9 = 2 \dots 6$

㉜ $46 \div 9 = 5 \dots 1$

㉝ $37 \div 6 = 6 \dots 1$

㉞ $42 \div 8 = 5 \dots 2$

㉟ $23 \div 9 = 2 \dots 5$

㊱ $61 \div 7 = 8 \dots 5$

㊲ $9 \div 2 = 4 \dots 1$

㊳ $26 \div 9 = 2 \dots 8$

㊴ $24 \div 7 = 3 \dots 3$

㊵ $49 \div 6 = 8 \dots 1$

㊶ $53 \div 9 = 5 \dots 8$

㊷ $27 \div 6 = 4 \dots 3$

㊸ $29 \div 8 = 3 \dots 5$

㊹ $13 \div 3 = 4 \dots 1$

㊺ $24 \div 5 = 4 \dots 4$

㊻ $26 \div 3 = 8 \dots 2$

㊼ $27 \div 8 = 3 \dots 3$

㊽ $17 \div 6 = 2 \dots 5$

㊾ $28 \div 8 = 3 \dots 4$

㊿ $19 \div 2 = 9 \dots 1$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $7 \div 3 = 2 \dots 1$

② $23 \div 5 = 4 \dots 3$

③ $15 \div 2 = 7 \dots 1$

④ $76 \div 8 = 9 \dots 4$

⑤ $46 \div 8 = 5 \dots 6$

⑥ $48 \div 9 = 5 \dots 3$

⑦ $50 \div 7 = 7 \dots 1$

⑧ $58 \div 9 = 6 \dots 4$

⑨ $58 \div 8 = 7 \dots 2$

⑩ $51 \div 9 = 5 \dots 6$

⑪ $22 \div 3 = 7 \dots 1$

⑫ $13 \div 9 = 1 \dots 4$

⑬ $25 \div 4 = 6 \dots 1$

⑭ $38 \div 9 = 4 \dots 2$

⑮ $39 \div 7 = 5 \dots 4$

⑯ $36 \div 8 = 4 \dots 4$

⑰ $11 \div 4 = 2 \dots 3$

⑱ $52 \div 9 = 5 \dots 7$

⑲ $7 \div 4 = 1 \dots 3$

⑳ $57 \div 7 = 8 \dots 1$

㉑ $68 \div 9 = 7 \dots 5$

㉒ $10 \div 8 = 1 \dots 2$

㉓ $15 \div 7 = 2 \dots 1$

㉔ $8 \div 6 = 1 \dots 2$

㉕ $78 \div 9 = 8 \dots 6$

⑳ $33 \div 5 = 6 \dots 3$

㉗ $58 \div 7 = 8 \dots 2$

㉘ $34 \div 4 = 8 \dots 2$

㉙ $58 \div 6 = 9 \dots 4$

㉚ $17 \div 8 = 2 \dots 1$

㉛ $5 \div 4 = 1 \dots 1$

㉜ $19 \div 5 = 3 \dots 4$

㉝ $56 \div 9 = 6 \dots 2$

㉞ $13 \div 2 = 6 \dots 1$

㉟ $55 \div 7 = 7 \dots 6$

㊱ $10 \div 7 = 1 \dots 3$

㊲ $64 \div 7 = 9 \dots 1$

㊳ $59 \div 7 = 8 \dots 3$

㊴ $47 \div 6 = 7 \dots 5$

㊵ $45 \div 6 = 7 \dots 3$

㊶ $38 \div 7 = 5 \dots 3$

㊷ $30 \div 7 = 4 \dots 2$

㊸ $75 \div 8 = 9 \dots 3$

㊹ $27 \div 7 = 3 \dots 6$

㊺ $15 \div 6 = 2 \dots 3$

㊻ $22 \div 9 = 2 \dots 4$

㊼ $31 \div 6 = 5 \dots 1$

㊽ $60 \div 9 = 6 \dots 6$

㊾ $13 \div 5 = 2 \dots 3$

㊿ $12 \div 5 = 2 \dots 2$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $70 \div 9 = 7 \dots 7$

② $57 \div 6 = 9 \dots 3$

③ $16 \div 6 = 2 \dots 4$

④ $10 \div 9 = 1 \dots 1$

⑤ $39 \div 5 = 7 \dots 4$

⑥ $22 \div 6 = 3 \dots 4$

⑦ $29 \div 9 = 3 \dots 2$

⑧ $31 \div 7 = 4 \dots 3$

⑨ $35 \div 4 = 8 \dots 3$

⑩ $35 \div 9 = 3 \dots 8$

⑪ $67 \div 8 = 8 \dots 3$

⑫ $33 \div 6 = 5 \dots 3$

⑬ $4 \div 3 = 1 \dots 1$

⑭ $25 \div 9 = 2 \dots 7$

⑮ $17 \div 7 = 2 \dots 3$

⑯ $14 \div 8 = 1 \dots 6$

⑰ $17 \div 3 = 5 \dots 2$

⑱ $28 \div 3 = 9 \dots 1$

⑲ $50 \div 9 = 5 \dots 5$

⑳ $3 \div 2 = 1 \dots 1$

㉑ $41 \div 7 = 5 \dots 6$

㉒ $41 \div 5 = 8 \dots 1$

㉓ $32 \div 9 = 3 \dots 5$

㉔ $69 \div 9 = 7 \dots 6$

㉕ $35 \div 6 = 5 \dots 5$

⑳ $12 \div 9 = 1 \dots 3$

㉗ $28 \div 5 = 5 \dots 3$

㉘ $37 \div 5 = 7 \dots 2$

㉙ $50 \div 6 = 8 \dots 2$

㉚ $25 \div 3 = 8 \dots 1$

㉛ $35 \div 8 = 4 \dots 3$

㉜ $33 \div 7 = 4 \dots 5$

㉝ $19 \div 3 = 6 \dots 1$

㉞ $11 \div 7 = 1 \dots 4$

㉟ $44 \div 5 = 8 \dots 4$

㊱ $21 \div 9 = 2 \dots 3$

㊲ $18 \div 8 = 2 \dots 2$

㊳ $13 \div 7 = 1 \dots 6$

㊴ $29 \div 7 = 4 \dots 1$

㊵ $14 \div 4 = 3 \dots 2$

㊶ $25 \div 6 = 4 \dots 1$

㊷ $69 \div 8 = 8 \dots 5$

㊸ $57 \div 8 = 7 \dots 1$

㊹ $40 \div 7 = 5 \dots 5$

㊺ $20 \div 3 = 6 \dots 2$

㊻ $70 \div 8 = 8 \dots 6$

㊼ $43 \div 5 = 8 \dots 3$

㊽ $79 \div 8 = 9 \dots 7$

㊾ $22 \div 8 = 2 \dots 6$

㊿ $34 \div 8 = 4 \dots 2$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $86 \div 9 = 9 \dots 5$

② $63 \div 8 = 7 \dots 7$

③ $14 \div 6 = 2 \dots 2$

④ $88 \div 9 = 9 \dots 7$

⑤ $51 \div 6 = 8 \dots 3$

⑥ $15 \div 8 = 1 \dots 7$

⑦ $13 \div 8 = 1 \dots 5$

⑧ $8 \div 5 = 1 \dots 3$

⑨ $43 \div 6 = 7 \dots 1$

⑩ $29 \div 6 = 4 \dots 5$

⑪ $26 \div 8 = 3 \dots 2$

⑫ $76 \div 9 = 8 \dots 4$

⑬ $39 \div 4 = 9 \dots 3$

⑭ $32 \div 6 = 5 \dots 2$

⑮ $31 \div 8 = 3 \dots 7$

⑯ $51 \div 7 = 7 \dots 2$

⑰ $77 \div 9 = 8 \dots 5$

⑱ $40 \div 6 = 6 \dots 4$

⑲ $46 \div 6 = 7 \dots 4$

⑳ $9 \div 4 = 2 \dots 1$

㉑ $9 \div 6 = 1 \dots 3$

㉒ $38 \div 8 = 4 \dots 6$

㉓ $19 \div 7 = 2 \dots 5$

㉔ $38 \div 6 = 6 \dots 2$

㉕ $62 \div 9 = 6 \dots 8$

⑳ $41 \div 8 = 5 \dots 1$

㉗ $22 \div 7 = 3 \dots 1$

㉘ $15 \div 9 = 1 \dots 6$

㉙ $65 \div 8 = 8 \dots 1$

㉚ $8 \div 7 = 1 \dots 1$

㉛ $73 \div 9 = 8 \dots 1$

㉜ $37 \div 9 = 4 \dots 1$

㉝ $30 \div 9 = 3 \dots 3$

㉞ $79 \div 9 = 8 \dots 7$

㉟ $31 \div 9 = 3 \dots 4$

㊱ $10 \div 3 = 3 \dots 1$

㊲ $9 \div 5 = 1 \dots 4$

㊳ $55 \div 6 = 9 \dots 1$

㊴ $61 \div 9 = 6 \dots 7$

㊵ $51 \div 8 = 6 \dots 3$

㊶ $34 \div 5 = 6 \dots 4$

㊷ $15 \div 4 = 3 \dots 3$

㊸ $23 \div 6 = 3 \dots 5$

㊹ $22 \div 5 = 4 \dots 2$

㊺ $27 \div 5 = 5 \dots 2$

㊻ $40 \div 9 = 4 \dots 4$

㊼ $31 \div 4 = 7 \dots 3$

㊽ $13 \div 4 = 3 \dots 1$

㊾ $77 \div 8 = 9 \dots 5$

㊿ $23 \div 4 = 5 \dots 3$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $44 \div 6 = 7 \dots 2$

② $42 \div 5 = 8 \dots 2$

③ $45 \div 7 = 6 \dots 3$

④ $78 \div 8 = 9 \dots 6$

⑤ $43 \div 8 = 5 \dots 3$

⑥ $19 \div 6 = 3 \dots 1$

⑦ $8 \div 3 = 2 \dots 2$

⑧ $7 \div 2 = 3 \dots 1$

⑨ $6 \div 5 = 1 \dots 1$

⑩ $57 \div 9 = 6 \dots 3$

⑪ $54 \div 8 = 6 \dots 6$

⑫ $53 \div 7 = 7 \dots 4$

⑬ $23 \div 7 = 3 \dots 2$

⑭ $33 \div 8 = 4 \dots 1$

⑮ $74 \div 9 = 8 \dots 2$

⑯ $16 \div 7 = 2 \dots 2$

⑰ $65 \div 9 = 7 \dots 2$

⑱ $60 \div 8 = 7 \dots 4$

⑲ $39 \div 8 = 4 \dots 7$

⑳ $52 \div 7 = 7 \dots 3$

㉑ $48 \div 7 = 6 \dots 6$

㉒ $44 \div 7 = 6 \dots 2$

㉓ $11 \div 3 = 3 \dots 2$

㉔ $37 \div 4 = 9 \dots 1$

㉕ $34 \div 9 = 3 \dots 7$

⑳ $61 \div 8 = 7 \dots 5$

㉗ $18 \div 7 = 2 \dots 4$

㉘ $27 \div 4 = 6 \dots 3$

㉙ $84 \div 9 = 9 \dots 3$

㉚ $66 \div 9 = 7 \dots 3$

㉛ $21 \div 6 = 3 \dots 3$

㉜ $68 \div 8 = 8 \dots 4$

㉝ $26 \div 4 = 6 \dots 2$

㉞ $89 \div 9 = 9 \dots 8$

㉟ $18 \div 5 = 3 \dots 3$

㊱ $28 \div 9 = 3 \dots 1$

㊲ $43 \div 9 = 4 \dots 7$

㊳ $11 \div 5 = 2 \dots 1$

㊴ $75 \div 9 = 8 \dots 3$

㊵ $7 \div 6 = 1 \dots 1$

㊶ $34 \div 7 = 4 \dots 6$

㊷ $85 \div 9 = 9 \dots 4$

㊸ $23 \div 3 = 7 \dots 2$

㊹ $47 \div 9 = 5 \dots 2$

㊺ $38 \div 5 = 7 \dots 3$

㊻ $49 \div 8 = 6 \dots 1$

㊼ $67 \div 9 = 7 \dots 4$

㊽ $33 \div 4 = 8 \dots 1$

㊾ $21 \div 8 = 2 \dots 5$

㊿ $19 \div 8 = 2 \dots 3$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $48 \div 9 = 5 \dots 3$

② $38 \div 5 = 7 \dots 3$

③ $44 \div 7 = 6 \dots 2$

④ $53 \div 6 = 8 \dots 5$

⑤ $29 \div 8 = 3 \dots 5$

⑥ $54 \div 7 = 7 \dots 5$

⑦ $60 \div 7 = 8 \dots 4$

⑧ $57 \div 6 = 9 \dots 3$

⑨ $32 \div 7 = 4 \dots 4$

⑩ $29 \div 4 = 7 \dots 1$

⑪ $29 \div 7 = 4 \dots 1$

⑫ $58 \div 6 = 9 \dots 4$

⑬ $44 \div 9 = 4 \dots 8$

⑭ $31 \div 5 = 6 \dots 1$

⑮ $43 \div 9 = 4 \dots 7$

⑯ $16 \div 7 = 2 \dots 2$

⑰ $30 \div 9 = 3 \dots 3$

⑱ $29 \div 6 = 4 \dots 5$

⑲ $30 \div 8 = 3 \dots 6$

⑳ $11 \div 8 = 1 \dots 3$

㉑ $18 \div 7 = 2 \dots 4$

㉒ $43 \div 8 = 5 \dots 3$

㉓ $38 \div 9 = 4 \dots 2$

㉔ $50 \div 7 = 7 \dots 1$

㉕ $17 \div 3 = 5 \dots 2$

⑳ $85 \div 9 = 9 \dots 4$

㉗ $22 \div 4 = 5 \dots 2$

㉘ $10 \div 3 = 3 \dots 1$

㉙ $39 \div 6 = 6 \dots 3$

㉚ $53 \div 7 = 7 \dots 4$

㉛ $33 \div 6 = 5 \dots 3$

㉜ $82 \div 9 = 9 \dots 1$

㉝ $8 \div 5 = 1 \dots 3$

㉞ $59 \div 6 = 9 \dots 5$

㉟ $74 \div 9 = 8 \dots 2$

㊱ $68 \div 8 = 8 \dots 4$

㊲ $42 \div 9 = 4 \dots 6$

㊳ $23 \div 4 = 5 \dots 3$

㊴ $56 \div 6 = 9 \dots 2$

㊵ $13 \div 6 = 2 \dots 1$

㊶ $37 \div 4 = 9 \dots 1$

㊷ $9 \div 5 = 1 \dots 4$

㊸ $13 \div 9 = 1 \dots 4$

㊹ $27 \div 8 = 3 \dots 3$

㊺ $8 \div 7 = 1 \dots 1$

㊻ $44 \div 6 = 7 \dots 2$

㊼ $32 \div 5 = 6 \dots 2$

㊽ $57 \div 9 = 6 \dots 3$

㊾ $26 \div 9 = 2 \dots 8$

㊿ $24 \div 7 = 3 \dots 3$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $79 \div 8 = 9 \dots 7$

② $35 \div 9 = 3 \dots 8$

③ $20 \div 8 = 2 \dots 4$

④ $19 \div 4 = 4 \dots 3$

⑤ $40 \div 9 = 4 \dots 4$

⑥ $58 \div 9 = 6 \dots 4$

⑦ $75 \div 8 = 9 \dots 3$

⑧ $35 \div 4 = 8 \dots 3$

⑨ $67 \div 8 = 8 \dots 3$

⑩ $44 \div 5 = 8 \dots 4$

⑪ $67 \div 9 = 7 \dots 4$

⑫ $15 \div 7 = 2 \dots 1$

⑬ $19 \div 5 = 3 \dots 4$

⑭ $51 \div 6 = 8 \dots 3$

⑮ $27 \div 7 = 3 \dots 6$

⑯ $24 \div 5 = 4 \dots 4$

⑰ $60 \div 9 = 6 \dots 6$

⑱ $38 \div 8 = 4 \dots 6$

⑲ $28 \div 9 = 3 \dots 1$

⑳ $63 \div 8 = 7 \dots 7$

㉑ $20 \div 9 = 2 \dots 2$

㉒ $59 \div 8 = 7 \dots 3$

㉓ $13 \div 7 = 1 \dots 6$

㉔ $16 \div 9 = 1 \dots 7$

㉕ $43 \div 7 = 6 \dots 1$

⑳ $78 \div 9 = 8 \dots 6$

㉗ $30 \div 4 = 7 \dots 2$

㉘ $16 \div 3 = 5 \dots 1$

㉙ $36 \div 8 = 4 \dots 4$

㉚ $3 \div 2 = 1 \dots 1$

㉛ $27 \div 4 = 6 \dots 3$

㉜ $46 \div 8 = 5 \dots 6$

㉝ $24 \div 9 = 2 \dots 6$

㉞ $88 \div 9 = 9 \dots 7$

㉟ $75 \div 9 = 8 \dots 3$

㊱ $19 \div 6 = 3 \dots 1$

㊲ $51 \div 7 = 7 \dots 2$

㊳ $31 \div 4 = 7 \dots 3$

㊴ $19 \div 9 = 2 \dots 1$

㊵ $55 \div 9 = 6 \dots 1$

㊶ $33 \div 4 = 8 \dots 1$

㊷ $51 \div 8 = 6 \dots 3$

㊸ $68 \div 9 = 7 \dots 5$

㊹ $69 \div 8 = 8 \dots 5$

㊺ $25 \div 3 = 8 \dots 1$

㊻ $17 \div 4 = 4 \dots 1$

㊼ $20 \div 3 = 6 \dots 2$

㊽ $47 \div 7 = 6 \dots 5$

㊾ $13 \div 5 = 2 \dots 3$

㊿ $17 \div 8 = 2 \dots 1$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $8 \div 6 = 1 \dots 2$

② $60 \div 8 = 7 \dots 4$

③ $43 \div 6 = 7 \dots 1$

④ $38 \div 6 = 6 \dots 2$

⑤ $28 \div 8 = 3 \dots 4$

⑥ $9 \div 8 = 1 \dots 1$

⑦ $29 \div 5 = 5 \dots 4$

⑧ $42 \div 5 = 8 \dots 2$

⑨ $25 \div 9 = 2 \dots 7$

⑩ $33 \div 9 = 3 \dots 6$

⑪ $58 \div 8 = 7 \dots 2$

⑫ $50 \div 8 = 6 \dots 2$

⑬ $32 \div 6 = 5 \dots 2$

⑭ $31 \div 7 = 4 \dots 3$

⑮ $47 \div 5 = 9 \dots 2$

⑯ $13 \div 4 = 3 \dots 1$

⑰ $39 \div 5 = 7 \dots 4$

⑱ $14 \div 8 = 1 \dots 6$

⑲ $86 \div 9 = 9 \dots 5$

⑳ $62 \div 9 = 6 \dots 8$

㉑ $42 \div 8 = 5 \dots 2$

㉒ $14 \div 6 = 2 \dots 2$

㉓ $34 \div 7 = 4 \dots 6$

㉔ $22 \div 7 = 3 \dots 1$

㉕ $9 \div 7 = 1 \dots 2$

⑳ $7 \div 3 = 2 \dots 1$

㉗ $18 \div 4 = 4 \dots 2$

㉘ $27 \div 6 = 4 \dots 3$

㉙ $89 \div 9 = 9 \dots 8$

㉚ $27 \div 5 = 5 \dots 2$

㉛ $9 \div 4 = 2 \dots 1$

㉜ $21 \div 6 = 3 \dots 3$

㉝ $49 \div 6 = 8 \dots 1$

㉞ $35 \div 8 = 4 \dots 3$

㉟ $31 \div 8 = 3 \dots 7$

㊱ $49 \div 5 = 9 \dots 4$

㊲ $52 \div 8 = 6 \dots 4$

㊳ $21 \div 8 = 2 \dots 5$

㊴ $15 \div 9 = 1 \dots 6$

㊵ $52 \div 7 = 7 \dots 3$

㊶ $26 \div 4 = 6 \dots 2$

㊷ $39 \div 8 = 4 \dots 7$

㊸ $21 \div 5 = 4 \dots 1$

㊹ $15 \div 2 = 7 \dots 1$

㊺ $23 \div 9 = 2 \dots 5$

㊻ $11 \div 3 = 3 \dots 2$

㊼ $33 \div 5 = 6 \dots 3$

㊽ $71 \div 9 = 7 \dots 8$

㊾ $34 \div 8 = 4 \dots 2$

㊿ $26 \div 7 = 3 \dots 5$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $65 \div 7 = 9 \dots 2$

② $37 \div 6 = 6 \dots 1$

③ $30 \div 7 = 4 \dots 2$

④ $12 \div 9 = 1 \dots 3$

⑤ $61 \div 9 = 6 \dots 7$

⑥ $43 \div 5 = 8 \dots 3$

⑦ $48 \div 7 = 6 \dots 6$

⑧ $34 \div 4 = 8 \dots 2$

⑨ $11 \div 4 = 2 \dots 3$

⑩ $66 \div 7 = 9 \dots 3$

⑪ $56 \div 9 = 6 \dots 2$

⑫ $31 \div 6 = 5 \dots 1$

⑬ $39 \div 9 = 4 \dots 3$

⑭ $71 \div 8 = 8 \dots 7$

⑮ $10 \div 9 = 1 \dots 1$

⑯ $50 \div 9 = 5 \dots 5$

⑰ $15 \div 4 = 3 \dots 3$

⑱ $19 \div 3 = 6 \dots 1$

⑲ $87 \div 9 = 9 \dots 6$

⑳ $76 \div 8 = 9 \dots 4$

㉑ $17 \div 2 = 8 \dots 1$

㉒ $28 \div 5 = 5 \dots 3$

㉓ $21 \div 4 = 5 \dots 1$

㉔ $70 \div 9 = 7 \dots 7$

㉕ $18 \div 8 = 2 \dots 2$

⑳ $45 \div 8 = 5 \dots 5$

㉗ $25 \div 4 = 6 \dots 1$

㉘ $15 \div 8 = 1 \dots 7$

㉙ $29 \div 9 = 3 \dots 2$

㉚ $7 \div 4 = 1 \dots 3$

㉛ $37 \div 8 = 4 \dots 5$

㉜ $22 \div 8 = 2 \dots 6$

㉝ $26 \div 3 = 8 \dots 2$

㉞ $34 \div 9 = 3 \dots 7$

㉟ $12 \div 8 = 1 \dots 4$

㊱ $53 \div 9 = 5 \dots 8$

㊲ $17 \div 7 = 2 \dots 3$

㊳ $23 \div 7 = 3 \dots 2$

㊴ $55 \div 6 = 9 \dots 1$

㊵ $64 \div 9 = 7 \dots 1$

㊶ $7 \div 6 = 1 \dots 1$

㊷ $77 \div 8 = 9 \dots 5$

㊸ $64 \div 7 = 9 \dots 1$

㊹ $23 \div 6 = 3 \dots 5$

㊺ $13 \div 3 = 4 \dots 1$

㊻ $52 \div 6 = 8 \dots 4$

㊼ $22 \div 5 = 4 \dots 2$

㊽ $18 \div 5 = 3 \dots 3$

㊾ $59 \div 9 = 6 \dots 5$

㊿ $21 \div 9 = 2 \dots 3$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $36 \div 7 = 5 \dots 1$

② $69 \div 9 = 7 \dots 6$

③ $41 \div 5 = 8 \dots 1$

④ $10 \div 7 = 1 \dots 3$

⑤ $40 \div 6 = 6 \dots 4$

⑥ $11 \div 9 = 1 \dots 2$

⑦ $15 \div 6 = 2 \dots 3$

⑧ $38 \div 7 = 5 \dots 3$

⑨ $29 \div 3 = 9 \dots 2$

⑩ $33 \div 7 = 4 \dots 5$

⑪ $61 \div 7 = 8 \dots 5$

⑫ $78 \div 8 = 9 \dots 6$

⑬ $55 \div 7 = 7 \dots 6$

⑭ $19 \div 8 = 2 \dots 3$

⑮ $45 \div 6 = 7 \dots 3$

⑯ $32 \div 9 = 3 \dots 5$

⑰ $23 \div 3 = 7 \dots 2$

⑱ $76 \div 9 = 8 \dots 4$

⑲ $47 \div 6 = 7 \dots 5$

⑳ $41 \div 6 = 6 \dots 5$

㉑ $25 \div 7 = 3 \dots 4$

㉒ $73 \div 9 = 8 \dots 1$

㉓ $19 \div 2 = 9 \dots 1$

㉔ $20 \div 6 = 3 \dots 2$

㉕ $6 \div 4 = 1 \dots 2$

⑳ $40 \div 7 = 5 \dots 5$

㉗ $39 \div 7 = 5 \dots 4$

㉘ $59 \div 7 = 8 \dots 3$

㉙ $22 \div 3 = 7 \dots 1$

㉚ $83 \div 9 = 9 \dots 2$

㉛ $41 \div 9 = 4 \dots 5$

㉜ $46 \div 5 = 9 \dots 1$

㉝ $49 \div 9 = 5 \dots 4$

㉞ $66 \div 9 = 7 \dots 3$

㉟ $35 \div 6 = 5 \dots 5$

㊱ $16 \div 5 = 3 \dots 1$

㊲ $9 \div 2 = 4 \dots 1$

㊳ $11 \div 7 = 1 \dots 4$

㊴ $79 \div 9 = 8 \dots 7$

㊵ $58 \div 7 = 8 \dots 2$

㊶ $38 \div 4 = 9 \dots 2$

㊷ $11 \div 2 = 5 \dots 1$

㊸ $52 \div 9 = 5 \dots 7$

㊹ $44 \div 8 = 5 \dots 4$

㊺ $46 \div 7 = 6 \dots 4$

㊻ $54 \div 8 = 6 \dots 6$

㊼ $10 \div 4 = 2 \dots 2$

㊽ $62 \div 7 = 8 \dots 6$

㊾ $25 \div 6 = 4 \dots 1$

㊿ $23 \div 8 = 2 \dots 7$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $41 \div 8 = 5 \dots 1$

② $50 \div 6 = 8 \dots 2$

③ $12 \div 7 = 1 \dots 5$

④ $31 \div 9 = 3 \dots 4$

⑤ $26 \div 6 = 4 \dots 2$

⑥ $55 \div 8 = 6 \dots 7$

⑦ $45 \div 7 = 6 \dots 3$

⑧ $69 \div 7 = 9 \dots 6$

⑨ $6 \div 5 = 1 \dots 1$

⑩ $34 \div 6 = 5 \dots 4$

⑪ $49 \div 8 = 6 \dots 1$

⑫ $17 \div 5 = 3 \dots 2$

⑬ $5 \div 3 = 1 \dots 2$

⑭ $46 \div 9 = 5 \dots 1$

⑮ $33 \div 8 = 4 \dots 1$

⑯ $5 \div 4 = 1 \dots 1$

⑰ $57 \div 7 = 8 \dots 1$

⑱ $22 \div 9 = 2 \dots 4$

⑲ $46 \div 6 = 7 \dots 4$

⑳ $68 \div 7 = 9 \dots 5$

㉑ $53 \div 8 = 6 \dots 5$

㉒ $26 \div 5 = 5 \dots 1$

㉓ $17 \div 9 = 1 \dots 8$

㉔ $47 \div 9 = 5 \dots 2$

㉕ $5 \div 2 = 2 \dots 1$

⑳ $25 \div 8 = 3 \dots 1$

㉗ $11 \div 6 = 1 \dots 5$

㉘ $14 \div 4 = 3 \dots 2$

㉙ $10 \div 8 = 1 \dots 2$

㉚ $47 \div 8 = 5 \dots 7$

㉛ $14 \div 9 = 1 \dots 5$

㉜ $13 \div 2 = 6 \dots 1$

㉝ $7 \div 2 = 3 \dots 1$

㉞ $48 \div 5 = 9 \dots 3$

㉟ $12 \div 5 = 2 \dots 2$

㊱ $20 \div 7 = 2 \dots 6$

㊲ $37 \div 9 = 4 \dots 1$

㊳ $34 \div 5 = 6 \dots 4$

㊴ $14 \div 5 = 2 \dots 4$

㊵ $61 \div 8 = 7 \dots 5$

㊶ $73 \div 8 = 9 \dots 1$

㊷ $26 \div 8 = 3 \dots 2$

㊸ $28 \div 3 = 9 \dots 1$

㊹ $4 \div 3 = 1 \dots 1$

㊺ $51 \div 9 = 5 \dots 6$

㊻ $17 \div 6 = 2 \dots 5$

㊼ $65 \div 8 = 8 \dots 1$

㊽ $74 \div 8 = 9 \dots 2$

㊾ $23 \div 5 = 4 \dots 3$

㊿ $37 \div 7 = 5 \dots 2$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $35 \div 4 = 8 \dots 3$

② $73 \div 9 = 8 \dots 1$

③ $38 \div 5 = 7 \dots 3$

④ $17 \div 6 = 2 \dots 5$

⑤ $29 \div 5 = 5 \dots 4$

⑥ $12 \div 7 = 1 \dots 5$

⑦ $65 \div 7 = 9 \dots 2$

⑧ $34 \div 4 = 8 \dots 2$

⑨ $7 \div 2 = 3 \dots 1$

⑩ $55 \div 6 = 9 \dots 1$

⑪ $3 \div 2 = 1 \dots 1$

⑫ $77 \div 8 = 9 \dots 5$

⑬ $8 \div 6 = 1 \dots 2$

⑭ $15 \div 2 = 7 \dots 1$

⑮ $56 \div 9 = 6 \dots 2$

⑯ $29 \div 9 = 3 \dots 2$

⑰ $48 \div 9 = 5 \dots 3$

⑱ $29 \div 4 = 7 \dots 1$

⑲ $7 \div 3 = 2 \dots 1$

⑳ $11 \div 4 = 2 \dots 3$

㉑ $78 \div 9 = 8 \dots 6$

㉒ $46 \div 6 = 7 \dots 4$

㉓ $14 \div 6 = 2 \dots 2$

㉔ $66 \div 7 = 9 \dots 3$

㉕ $45 \div 8 = 5 \dots 5$

⑳ $29 \div 3 = 9 \dots 2$

㉗ $60 \div 8 = 7 \dots 4$

㉘ $43 \div 5 = 8 \dots 3$

㉙ $62 \div 8 = 7 \dots 6$

㉚ $18 \div 5 = 3 \dots 3$

㉛ $37 \div 8 = 4 \dots 5$

㉜ $40 \div 7 = 5 \dots 5$

㉝ $55 \div 9 = 6 \dots 1$

㉞ $65 \div 9 = 7 \dots 2$

㉟ $31 \div 9 = 3 \dots 4$

㊱ $89 \div 9 = 9 \dots 8$

㊲ $35 \div 6 = 5 \dots 5$

㊳ $67 \div 7 = 9 \dots 4$

㊴ $20 \div 6 = 3 \dots 2$

㊵ $46 \div 7 = 6 \dots 4$

㊶ $47 \div 6 = 7 \dots 5$

㊷ $23 \div 3 = 7 \dots 2$

㊸ $39 \div 6 = 6 \dots 3$

㊹ $70 \div 9 = 7 \dots 7$

㊺ $24 \div 9 = 2 \dots 6$

㊻ $20 \div 3 = 6 \dots 2$

㊼ $26 \div 9 = 2 \dots 8$

㊽ $19 \div 2 = 9 \dots 1$

㊾ $42 \div 8 = 5 \dots 2$

㊿ $46 \div 5 = 9 \dots 1$

わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が
必要なわり算と必要でないわり算が混合している問題の答え

① $38 \div 7 = 5 \dots 3$

② $65 \div 8 = 8 \dots 1$

③ $18 \div 7 = 2 \dots 4$

④ $33 \div 6 = 5 \dots 3$

⑤ $10 \div 7 = 1 \dots 3$

⑥ $48 \div 7 = 6 \dots 6$

⑦ $49 \div 9 = 5 \dots 4$

⑧ $57 \div 9 = 6 \dots 3$

⑨ $31 \div 6 = 5 \dots 1$

⑩ $50 \div 7 = 7 \dots 1$

⑪ $9 \div 2 = 4 \dots 1$

⑫ $50 \div 9 = 5 \dots 5$

⑬ $27 \div 5 = 5 \dots 2$

⑭ $37 \div 7 = 5 \dots 2$

⑮ $36 \div 5 = 7 \dots 1$

⑯ $51 \div 9 = 5 \dots 6$

⑰ $58 \div 9 = 6 \dots 4$

⑱ $23 \div 8 = 2 \dots 7$

⑲ $68 \div 7 = 9 \dots 5$

⑳ $86 \div 9 = 9 \dots 5$

㉑ $18 \div 8 = 2 \dots 2$

㉒ $88 \div 9 = 9 \dots 7$

㉓ $40 \div 9 = 4 \dots 4$

㉔ $26 \div 4 = 6 \dots 2$

㉕ $34 \div 5 = 6 \dots 4$

⑳ $42 \div 9 = 4 \dots 6$

㉗ $69 \div 7 = 9 \dots 6$

㉘ $23 \div 7 = 3 \dots 2$

㉙ $28 \div 5 = 5 \dots 3$

㉚ $33 \div 7 = 4 \dots 5$

㉛ $28 \div 9 = 3 \dots 1$

㉜ $53 \div 7 = 7 \dots 4$

㉝ $79 \div 9 = 8 \dots 7$

㉞ $57 \div 7 = 8 \dots 1$

㉟ $76 \div 9 = 8 \dots 4$

㊱ $82 \div 9 = 9 \dots 1$

㊲ $19 \div 4 = 4 \dots 3$

㊳ $43 \div 7 = 6 \dots 1$

㊴ $28 \div 8 = 3 \dots 4$

㊵ $25 \div 6 = 4 \dots 1$

㊶ $80 \div 9 = 8 \dots 8$

㊷ $8 \div 3 = 2 \dots 2$

㊸ $36 \div 7 = 5 \dots 1$

㊹ $22 \div 9 = 2 \dots 4$

㊺ $37 \div 9 = 4 \dots 1$

㊻ $19 \div 7 = 2 \dots 5$

㊼ $43 \div 6 = 7 \dots 1$

㊽ $66 \div 9 = 7 \dots 3$

㊾ $24 \div 5 = 4 \dots 4$

㊿ $50 \div 6 = 8 \dots 2$