

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $27 \div 7 = 3 \dots 6$

②  $35 \div 4 = 8 \dots 3$

③  $43 \div 5 = 8 \dots 3$

④  $23 \div 5 = 4 \dots 3$

⑤  $5 \div 3 = 1 \dots 2$

⑥  $44 \div 7 = 6 \dots 2$

⑦  $51 \div 8 = 6 \dots 3$

⑧  $23 \div 6 = 3 \dots 5$

⑨  $14 \div 8 = 1 \dots 6$

⑩  $26 \div 3 = 8 \dots 2$

⑪  $48 \div 5 = 9 \dots 3$

⑫  $19 \div 3 = 6 \dots 1$

⑬  $52 \div 7 = 7 \dots 3$

⑭  $19 \div 4 = 4 \dots 3$

⑮  $58 \div 6 = 9 \dots 4$

⑯  $31 \div 8 = 3 \dots 7$

⑰  $5 \div 4 = 1 \dots 1$

⑱  $35 \div 8 = 4 \dots 3$

⑲  $30 \div 9 = 3 \dots 3$

⑳  $70 \div 8 = 8 \dots 6$

㉑  $49 \div 9 = 5 \dots 4$

㉒  $41 \div 6 = 6 \dots 5$

㉓  $19 \div 5 = 3 \dots 4$

㉔  $16 \div 7 = 2 \dots 2$

㉕  $43 \div 6 = 7 \dots 1$

⑳  $9 \div 8 = 1 \dots 1$

㉗  $7 \div 4 = 1 \dots 3$

㉘  $25 \div 3 = 8 \dots 1$

㉙  $29 \div 5 = 5 \dots 4$

㉚  $34 \div 4 = 8 \dots 2$

㉛  $29 \div 3 = 9 \dots 2$

㉜  $11 \div 3 = 3 \dots 2$

㉝  $23 \div 7 = 3 \dots 2$

㉞  $59 \div 6 = 9 \dots 5$

㉟  $47 \div 5 = 9 \dots 2$

㊱  $10 \div 6 = 1 \dots 4$

㊲  $29 \div 7 = 4 \dots 1$

㊳  $41 \div 8 = 5 \dots 1$

㊴  $40 \div 6 = 6 \dots 4$

㊵  $52 \div 6 = 8 \dots 4$

㊶  $53 \div 6 = 8 \dots 5$

㊷  $10 \div 8 = 1 \dots 2$

㊸  $28 \div 8 = 3 \dots 4$

㊹  $65 \div 8 = 8 \dots 1$

㊺  $17 \div 9 = 1 \dots 8$

㊻  $22 \div 3 = 7 \dots 1$

㊼  $44 \div 6 = 7 \dots 2$

㊽  $5 \div 2 = 2 \dots 1$

㊾  $33 \div 8 = 4 \dots 1$

㊿  $20 \div 8 = 2 \dots 4$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $33 \div 5 = 6 \dots 3$

②  $41 \div 9 = 4 \dots 5$

③  $75 \div 8 = 9 \dots 3$

④  $38 \div 8 = 4 \dots 6$

⑤  $61 \div 9 = 6 \dots 7$

⑥  $11 \div 8 = 1 \dots 3$

⑦  $21 \div 4 = 5 \dots 1$

⑧  $19 \div 2 = 9 \dots 1$

⑨  $23 \div 9 = 2 \dots 5$

⑩  $15 \div 2 = 7 \dots 1$

⑪  $34 \div 6 = 5 \dots 4$

⑫  $55 \div 7 = 7 \dots 6$

⑬  $6 \div 4 = 1 \dots 2$

⑭  $69 \div 8 = 8 \dots 5$

⑮  $37 \div 5 = 7 \dots 2$

⑯  $11 \div 2 = 5 \dots 1$

⑰  $26 \div 7 = 3 \dots 5$

⑱  $18 \div 4 = 4 \dots 2$

⑲  $58 \div 7 = 8 \dots 2$

⑳  $13 \div 4 = 3 \dots 1$

㉑  $11 \div 6 = 1 \dots 5$

㉒  $67 \div 8 = 8 \dots 3$

㉓  $40 \div 7 = 5 \dots 5$

㉔  $20 \div 7 = 2 \dots 6$

㉕  $21 \div 5 = 4 \dots 1$

⑳  $22 \div 7 = 3 \dots 1$

㉗  $47 \div 6 = 7 \dots 5$

㉘  $51 \div 9 = 5 \dots 6$

㉙  $45 \div 6 = 7 \dots 3$

㉚  $55 \div 9 = 6 \dots 1$

㉛  $13 \div 2 = 6 \dots 1$

㉜  $73 \div 8 = 9 \dots 1$

㉝  $21 \div 8 = 2 \dots 5$

㉞  $27 \div 4 = 6 \dots 3$

㉟  $11 \div 4 = 2 \dots 3$

㊱  $42 \div 5 = 8 \dots 2$

㊲  $10 \div 3 = 3 \dots 1$

㊳  $11 \div 5 = 2 \dots 1$

㊴  $50 \div 7 = 7 \dots 1$

㊵  $27 \div 6 = 4 \dots 3$

㊶  $38 \div 5 = 7 \dots 3$

㊷  $32 \div 5 = 6 \dots 2$

㊸  $16 \div 9 = 1 \dots 7$

㊹  $39 \div 4 = 9 \dots 3$

㊺  $22 \div 6 = 3 \dots 4$

㊻  $57 \div 9 = 6 \dots 3$

㊼  $12 \div 7 = 1 \dots 5$

㊽  $60 \div 9 = 6 \dots 6$

㊾  $24 \div 5 = 4 \dots 4$

㊿  $50 \div 6 = 8 \dots 2$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

- |   |                         |    |                         |
|---|-------------------------|----|-------------------------|
| ① | $62 \div 9 = 6 \dots 8$ | ②⑥ | $29 \div 8 = 3 \dots 5$ |
| ② | $74 \div 9 = 8 \dots 2$ | ②⑦ | $68 \div 7 = 9 \dots 5$ |
| ③ | $26 \div 8 = 3 \dots 2$ | ②⑧ | $19 \div 8 = 2 \dots 3$ |
| ④ | $45 \div 7 = 6 \dots 3$ | ②⑨ | $59 \div 7 = 8 \dots 3$ |
| ⑤ | $38 \div 9 = 4 \dots 2$ | ③⑩ | $68 \div 8 = 8 \dots 4$ |
| ⑥ | $20 \div 9 = 2 \dots 2$ | ③⑪ | $46 \div 9 = 5 \dots 1$ |
| ⑦ | $37 \div 8 = 4 \dots 5$ | ③⑫ | $37 \div 7 = 5 \dots 2$ |
| ⑧ | $17 \div 6 = 2 \dots 5$ | ③⑬ | $8 \div 6 = 1 \dots 2$  |
| ⑨ | $59 \div 8 = 7 \dots 3$ | ③⑭ | $21 \div 9 = 2 \dots 3$ |
| ⑩ | $37 \div 6 = 6 \dots 1$ | ③⑮ | $50 \div 8 = 6 \dots 2$ |
| ⑪ | $16 \div 5 = 3 \dots 1$ | ③⑯ | $4 \div 3 = 1 \dots 1$  |
| ⑫ | $17 \div 4 = 4 \dots 1$ | ③⑰ | $55 \div 8 = 6 \dots 7$ |
| ⑬ | $28 \div 6 = 4 \dots 4$ | ③⑱ | $88 \div 9 = 9 \dots 7$ |
| ⑭ | $66 \div 8 = 8 \dots 2$ | ③⑲ | $67 \div 9 = 7 \dots 4$ |
| ⑮ | $37 \div 9 = 4 \dots 1$ | ④⑰ | $17 \div 2 = 8 \dots 1$ |
| ⑯ | $34 \div 5 = 6 \dots 4$ | ④⑱ | $9 \div 5 = 1 \dots 4$  |
| ⑰ | $24 \div 9 = 2 \dots 6$ | ④⑲ | $22 \div 9 = 2 \dots 4$ |
| ⑱ | $46 \div 5 = 9 \dots 1$ | ④⑲ | $50 \div 9 = 5 \dots 5$ |
| ⑲ | $47 \div 8 = 5 \dots 7$ | ④⑲ | $47 \div 7 = 6 \dots 5$ |
| ⑳ | $69 \div 7 = 9 \dots 6$ | ④⑲ | $84 \div 9 = 9 \dots 3$ |
| ㉑ | $57 \div 8 = 7 \dots 1$ | ④⑲ | $76 \div 9 = 8 \dots 4$ |
| ㉒ | $14 \div 9 = 1 \dots 5$ | ④⑲ | $11 \div 9 = 1 \dots 2$ |
| ㉓ | $55 \div 6 = 9 \dots 1$ | ④⑲ | $26 \div 6 = 4 \dots 2$ |
| ㉔ | $17 \div 8 = 2 \dots 1$ | ④⑲ | $25 \div 8 = 3 \dots 1$ |
| ㉕ | $36 \div 8 = 4 \dots 4$ | ④⑲ | $51 \div 6 = 8 \dots 3$ |

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $48 \div 7 = 6 \dots 6$

②  $76 \div 8 = 9 \dots 4$

③  $31 \div 5 = 6 \dots 1$

④  $17 \div 5 = 3 \dots 2$

⑤  $47 \div 9 = 5 \dots 2$

⑥  $25 \div 9 = 2 \dots 7$

⑦  $87 \div 9 = 9 \dots 6$

⑧  $18 \div 5 = 3 \dots 3$

⑨  $43 \div 8 = 5 \dots 3$

⑩  $58 \div 8 = 7 \dots 2$

⑪  $85 \div 9 = 9 \dots 4$

⑫  $64 \div 9 = 7 \dots 1$

⑬  $10 \div 7 = 1 \dots 3$

⑭  $71 \div 8 = 8 \dots 7$

⑮  $44 \div 5 = 8 \dots 4$

⑯  $57 \div 7 = 8 \dots 1$

⑰  $14 \div 3 = 4 \dots 2$

⑱  $32 \div 9 = 3 \dots 5$

⑲  $16 \div 6 = 2 \dots 4$

⑳  $40 \div 9 = 4 \dots 4$

㉑  $39 \div 7 = 5 \dots 4$

㉒  $33 \div 7 = 4 \dots 5$

㉓  $46 \div 7 = 6 \dots 4$

㉔  $13 \div 3 = 4 \dots 1$

㉕  $35 \div 9 = 3 \dots 8$

⑳  $54 \div 7 = 7 \dots 5$

㉗  $12 \div 8 = 1 \dots 4$

㉘  $27 \div 5 = 5 \dots 2$

㉙  $34 \div 8 = 4 \dots 2$

㉚  $82 \div 9 = 9 \dots 1$

㉛  $8 \div 3 = 2 \dots 2$

㉜  $20 \div 6 = 3 \dots 2$

㉝  $11 \div 7 = 1 \dots 4$

㉞  $69 \div 9 = 7 \dots 6$

㉟  $16 \div 3 = 5 \dots 1$

㊱  $15 \div 6 = 2 \dots 3$

㊲  $53 \div 8 = 6 \dots 5$

㊳  $15 \div 4 = 3 \dots 3$

㊴  $42 \div 9 = 4 \dots 6$

㊵  $7 \div 5 = 1 \dots 2$

㊶  $33 \div 9 = 3 \dots 6$

㊷  $39 \div 5 = 7 \dots 4$

㊸  $65 \div 7 = 9 \dots 2$

㊹  $64 \div 7 = 9 \dots 1$

㊺  $23 \div 4 = 5 \dots 3$

㊻  $58 \div 9 = 6 \dots 4$

㊼  $13 \div 5 = 2 \dots 3$

㊽  $48 \div 9 = 5 \dots 3$

㊾  $42 \div 8 = 5 \dots 2$

㊿  $52 \div 9 = 5 \dots 7$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $15 \div 9 = 1 \dots 6$

②  $22 \div 5 = 4 \dots 2$

③  $9 \div 4 = 2 \dots 1$

④  $60 \div 7 = 8 \dots 4$

⑤  $49 \div 8 = 6 \dots 1$

⑥  $78 \div 8 = 9 \dots 6$

⑦  $20 \div 3 = 6 \dots 2$

⑧  $29 \div 9 = 3 \dots 2$

⑨  $54 \div 8 = 6 \dots 6$

⑩  $43 \div 9 = 4 \dots 7$

⑪  $41 \div 7 = 5 \dots 6$

⑫  $10 \div 9 = 1 \dots 1$

⑬  $18 \div 8 = 2 \dots 2$

⑭  $12 \div 9 = 1 \dots 3$

⑮  $22 \div 4 = 5 \dots 2$

⑯  $49 \div 5 = 9 \dots 4$

⑰  $59 \div 9 = 6 \dots 5$

⑱  $67 \div 7 = 9 \dots 4$

⑲  $34 \div 9 = 3 \dots 7$

⑳  $3 \div 2 = 1 \dots 1$

㉑  $52 \div 8 = 6 \dots 4$

㉒  $46 \div 8 = 5 \dots 6$

㉓  $56 \div 9 = 6 \dots 2$

㉔  $36 \div 7 = 5 \dots 1$

㉕  $23 \div 3 = 7 \dots 2$

⑳  $31 \div 9 = 3 \dots 4$

㉗  $19 \div 7 = 2 \dots 5$

㉘  $78 \div 9 = 8 \dots 6$

㉙  $75 \div 9 = 8 \dots 3$

㉚  $38 \div 7 = 5 \dots 3$

㉛  $17 \div 7 = 2 \dots 3$

㉜  $14 \div 4 = 3 \dots 2$

㉝  $62 \div 8 = 7 \dots 6$

㉞  $28 \div 9 = 3 \dots 1$

㉟  $71 \div 9 = 7 \dots 8$

㊱  $63 \div 8 = 7 \dots 7$

㊲  $86 \div 9 = 9 \dots 5$

㊳  $35 \div 6 = 5 \dots 5$

㊴  $9 \div 7 = 1 \dots 2$

㊵  $25 \div 4 = 6 \dots 1$

㊶  $25 \div 7 = 3 \dots 4$

㊷  $33 \div 4 = 8 \dots 1$

㊸  $79 \div 9 = 8 \dots 7$

㊹  $12 \div 5 = 2 \dots 2$

㊺  $68 \div 9 = 7 \dots 5$

㊻  $14 \div 6 = 2 \dots 2$

㊼  $44 \div 9 = 4 \dots 8$

㊽  $45 \div 8 = 5 \dots 5$

㊾  $19 \div 6 = 3 \dots 1$

㊿  $38 \div 4 = 9 \dots 2$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $14 \div 5 = 2 \dots 4$

②  $43 \div 7 = 6 \dots 1$

③  $34 \div 7 = 4 \dots 6$

④  $31 \div 4 = 7 \dots 3$

⑤  $26 \div 5 = 5 \dots 1$

⑥  $53 \div 7 = 7 \dots 4$

⑦  $21 \div 6 = 3 \dots 3$

⑧  $39 \div 8 = 4 \dots 7$

⑨  $13 \div 9 = 1 \dots 4$

⑩  $8 \div 5 = 1 \dots 3$

⑪  $7 \div 3 = 2 \dots 1$

⑫  $7 \div 2 = 3 \dots 1$

⑬  $32 \div 7 = 4 \dots 4$

⑭  $77 \div 8 = 9 \dots 5$

⑮  $79 \div 8 = 9 \dots 7$

⑯  $28 \div 5 = 5 \dots 3$

⑰  $74 \div 8 = 9 \dots 2$

⑱  $66 \div 7 = 9 \dots 3$

⑲  $46 \div 6 = 7 \dots 4$

⑳  $15 \div 8 = 1 \dots 7$

㉑  $39 \div 6 = 6 \dots 3$

㉒  $19 \div 9 = 2 \dots 1$

㉓  $30 \div 7 = 4 \dots 2$

㉔  $18 \div 7 = 2 \dots 4$

㉕  $60 \div 8 = 7 \dots 4$

⑳  $26 \div 9 = 2 \dots 8$

㉗  $23 \div 8 = 2 \dots 7$

㉘  $17 \div 3 = 5 \dots 2$

㉙  $32 \div 6 = 5 \dots 2$

㉚  $56 \div 6 = 9 \dots 2$

㉛  $65 \div 9 = 7 \dots 2$

㉜  $80 \div 9 = 8 \dots 8$

㉝  $30 \div 4 = 7 \dots 2$

㉞  $44 \div 8 = 5 \dots 4$

㉟  $31 \div 6 = 5 \dots 1$

㊱  $49 \div 6 = 8 \dots 1$

㊲  $61 \div 7 = 8 \dots 5$

㊳  $13 \div 7 = 1 \dots 6$

㊴  $22 \div 8 = 2 \dots 6$

㊵  $41 \div 5 = 8 \dots 1$

㊶  $53 \div 9 = 5 \dots 8$

㊷  $28 \div 3 = 9 \dots 1$

㊸  $38 \div 6 = 6 \dots 2$

㊹  $37 \div 4 = 9 \dots 1$

㊺  $26 \div 4 = 6 \dots 2$

㊻  $6 \div 5 = 1 \dots 1$

㊼  $13 \div 6 = 2 \dots 1$

㊽  $33 \div 6 = 5 \dots 3$

㊾  $29 \div 4 = 7 \dots 1$

㊿  $77 \div 9 = 8 \dots 5$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $12 \div 5 = 2 \dots 2$

②  $10 \div 3 = 3 \dots 1$

③  $11 \div 4 = 2 \dots 3$

④  $58 \div 9 = 6 \dots 4$

⑤  $73 \div 8 = 9 \dots 1$

⑥  $69 \div 8 = 8 \dots 5$

⑦  $19 \div 9 = 2 \dots 1$

⑧  $21 \div 8 = 2 \dots 5$

⑨  $45 \div 8 = 5 \dots 5$

⑩  $10 \div 4 = 2 \dots 2$

⑪  $44 \div 6 = 7 \dots 2$

⑫  $71 \div 9 = 7 \dots 8$

⑬  $35 \div 8 = 4 \dots 3$

⑭  $59 \div 9 = 6 \dots 5$

⑮  $29 \div 9 = 3 \dots 2$

⑯  $48 \div 7 = 6 \dots 6$

⑰  $19 \div 3 = 6 \dots 1$

⑱  $69 \div 9 = 7 \dots 6$

⑲  $58 \div 8 = 7 \dots 2$

⑳  $37 \div 9 = 4 \dots 1$

㉑  $48 \div 9 = 5 \dots 3$

㉒  $26 \div 4 = 6 \dots 2$

㉓  $19 \div 5 = 3 \dots 4$

㉔  $46 \div 5 = 9 \dots 1$

㉕  $13 \div 3 = 4 \dots 1$

⑳  $13 \div 6 = 2 \dots 1$

㉗  $60 \div 9 = 6 \dots 6$

㉘  $25 \div 9 = 2 \dots 7$

㉙  $64 \div 9 = 7 \dots 1$

㉚  $53 \div 8 = 6 \dots 5$

㉛  $79 \div 8 = 9 \dots 7$

㉜  $16 \div 6 = 2 \dots 4$

㉝  $29 \div 4 = 7 \dots 1$

㉞  $28 \div 8 = 3 \dots 4$

㉟  $55 \div 6 = 9 \dots 1$

㊱  $28 \div 9 = 3 \dots 1$

㊲  $76 \div 9 = 8 \dots 4$

㊳  $18 \div 5 = 3 \dots 3$

㊴  $76 \div 8 = 9 \dots 4$

㊵  $7 \div 5 = 1 \dots 2$

㊶  $6 \div 4 = 1 \dots 2$

㊷  $34 \div 8 = 4 \dots 2$

㊸  $21 \div 5 = 4 \dots 1$

㊹  $18 \div 4 = 4 \dots 2$

㊺  $44 \div 7 = 6 \dots 2$

㊻  $36 \div 7 = 5 \dots 1$

㊼  $38 \div 7 = 5 \dots 3$

㊽  $14 \div 5 = 2 \dots 4$

㊾  $16 \div 3 = 5 \dots 1$

㊿  $19 \div 7 = 2 \dots 5$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $57 \div 7 = 8 \dots 1$

②  $49 \div 6 = 8 \dots 1$

③  $20 \div 9 = 2 \dots 2$

④  $29 \div 6 = 4 \dots 5$

⑤  $17 \div 2 = 8 \dots 1$

⑥  $39 \div 9 = 4 \dots 3$

⑦  $26 \div 8 = 3 \dots 2$

⑧  $22 \div 9 = 2 \dots 4$

⑨  $61 \div 8 = 7 \dots 5$

⑩  $34 \div 4 = 8 \dots 2$

⑪  $33 \div 4 = 8 \dots 1$

⑫  $7 \div 2 = 3 \dots 1$

⑬  $75 \div 9 = 8 \dots 3$

⑭  $27 \div 5 = 5 \dots 2$

⑮  $48 \div 5 = 9 \dots 3$

⑯  $42 \div 9 = 4 \dots 6$

⑰  $20 \div 8 = 2 \dots 4$

⑱  $25 \div 6 = 4 \dots 1$

⑲  $65 \div 7 = 9 \dots 2$

⑳  $29 \div 3 = 9 \dots 2$

㉑  $7 \div 4 = 1 \dots 3$

㉒  $40 \div 9 = 4 \dots 4$

㉓  $54 \div 8 = 6 \dots 6$

㉔  $14 \div 4 = 3 \dots 2$

㉕  $70 \div 9 = 7 \dots 7$

⑳  $56 \div 6 = 9 \dots 2$

㉗  $36 \div 8 = 4 \dots 4$

㉘  $51 \div 8 = 6 \dots 3$

㉙  $86 \div 9 = 9 \dots 5$

㉚  $9 \div 6 = 1 \dots 3$

㉛  $11 \div 9 = 1 \dots 2$

㉜  $68 \div 9 = 7 \dots 5$

㉝  $34 \div 9 = 3 \dots 7$

㉞  $38 \div 4 = 9 \dots 2$

㉟  $41 \div 7 = 5 \dots 6$

㊱  $34 \div 5 = 6 \dots 4$

㊲  $24 \div 7 = 3 \dots 3$

㊳  $31 \div 5 = 6 \dots 1$

㊴  $34 \div 7 = 4 \dots 6$

㊵  $3 \div 2 = 1 \dots 1$

㊶  $23 \div 6 = 3 \dots 5$

㊷  $19 \div 6 = 3 \dots 1$

㊸  $21 \div 9 = 2 \dots 3$

㊹  $67 \div 7 = 9 \dots 4$

㊺  $26 \div 7 = 3 \dots 5$

㊻  $26 \div 9 = 2 \dots 8$

㊼  $68 \div 8 = 8 \dots 4$

㊽  $8 \div 7 = 1 \dots 1$

㊾  $12 \div 8 = 1 \dots 4$

㊿  $15 \div 8 = 1 \dots 7$



## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $21 \div 6 = 3 \dots 3$

②  $66 \div 9 = 7 \dots 3$

③  $15 \div 4 = 3 \dots 3$

④  $10 \div 8 = 1 \dots 2$

⑤  $9 \div 8 = 1 \dots 1$

⑥  $77 \div 9 = 8 \dots 5$

⑦  $20 \div 6 = 3 \dots 2$

⑧  $45 \div 6 = 7 \dots 3$

⑨  $46 \div 6 = 7 \dots 4$

⑩  $69 \div 7 = 9 \dots 6$

⑪  $44 \div 9 = 4 \dots 8$

⑫  $52 \div 6 = 8 \dots 4$

⑬  $27 \div 8 = 3 \dots 3$

⑭  $28 \div 3 = 9 \dots 1$

⑮  $37 \div 6 = 6 \dots 1$

⑯  $32 \div 7 = 4 \dots 4$

⑰  $50 \div 6 = 8 \dots 2$

⑱  $87 \div 9 = 9 \dots 6$

⑲  $58 \div 7 = 8 \dots 2$

⑳  $8 \div 5 = 1 \dots 3$

㉑  $55 \div 8 = 6 \dots 7$

㉒  $49 \div 5 = 9 \dots 4$

㉓  $22 \div 5 = 4 \dots 2$

㉔  $78 \div 9 = 8 \dots 6$

㉕  $57 \div 8 = 7 \dots 1$

⑳  $9 \div 2 = 4 \dots 1$

㉗  $32 \div 9 = 3 \dots 5$

㉘  $73 \div 9 = 8 \dots 1$

㉙  $6 \div 5 = 1 \dots 1$

㉚  $27 \div 7 = 3 \dots 6$

㉛  $23 \div 3 = 7 \dots 2$

㉜  $44 \div 5 = 8 \dots 4$

㉝  $83 \div 9 = 9 \dots 2$

㉞  $37 \div 8 = 4 \dots 5$

㉟  $66 \div 8 = 8 \dots 2$

㊱  $71 \div 8 = 8 \dots 7$

㊲  $39 \div 5 = 7 \dots 4$

㊳  $60 \div 7 = 8 \dots 4$

㊴  $15 \div 7 = 2 \dots 1$

㊵  $39 \div 6 = 6 \dots 3$

㊶  $33 \div 9 = 3 \dots 6$

㊷  $17 \div 8 = 2 \dots 1$

㊸  $45 \div 7 = 6 \dots 3$

㊹  $57 \div 9 = 6 \dots 3$

㊺  $33 \div 5 = 6 \dots 3$

㊻  $17 \div 3 = 5 \dots 2$

㊼  $7 \div 3 = 2 \dots 1$

㊽  $10 \div 7 = 1 \dots 3$

㊾  $30 \div 4 = 7 \dots 2$

㊿  $67 \div 9 = 7 \dots 4$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $9 \div 5 = 1 \dots 4$

②  $79 \div 9 = 8 \dots 7$

③  $33 \div 6 = 5 \dots 3$

④  $11 \div 6 = 1 \dots 5$

⑤  $41 \div 6 = 6 \dots 5$

⑥  $50 \div 9 = 5 \dots 5$

⑦  $52 \div 9 = 5 \dots 7$

⑧  $47 \div 6 = 7 \dots 5$

⑨  $22 \div 6 = 3 \dots 4$

⑩  $29 \div 8 = 3 \dots 5$

⑪  $52 \div 8 = 6 \dots 4$

⑫  $41 \div 5 = 8 \dots 1$

⑬  $17 \div 6 = 2 \dots 5$

⑭  $88 \div 9 = 9 \dots 7$

⑮  $17 \div 7 = 2 \dots 3$

⑯  $37 \div 4 = 9 \dots 1$

⑰  $4 \div 3 = 1 \dots 1$

⑱  $26 \div 3 = 8 \dots 2$

⑲  $39 \div 4 = 9 \dots 3$

⑳  $46 \div 8 = 5 \dots 6$

㉑  $22 \div 7 = 3 \dots 1$

㉒  $84 \div 9 = 9 \dots 3$

㉓  $7 \div 6 = 1 \dots 1$

㉔  $44 \div 8 = 5 \dots 4$

㉕  $12 \div 7 = 1 \dots 5$

⑳  $38 \div 9 = 4 \dots 2$

㉗  $57 \div 6 = 9 \dots 3$

㉘  $38 \div 6 = 6 \dots 2$

㉙  $58 \div 6 = 9 \dots 4$

㉚  $17 \div 9 = 1 \dots 8$

㉛  $33 \div 8 = 4 \dots 1$

㉜  $46 \div 7 = 6 \dots 4$

㉝  $15 \div 6 = 2 \dots 3$

㉞  $14 \div 8 = 1 \dots 6$

㉟  $19 \div 4 = 4 \dots 3$

㊱  $27 \div 4 = 6 \dots 3$

㊲  $30 \div 7 = 4 \dots 2$

㊳  $40 \div 7 = 5 \dots 5$

㊴  $25 \div 7 = 3 \dots 4$

㊵  $59 \div 6 = 9 \dots 5$

㊶  $31 \div 9 = 3 \dots 4$

㊷  $80 \div 9 = 8 \dots 8$

㊸  $26 \div 5 = 5 \dots 1$

㊹  $11 \div 2 = 5 \dots 1$

㊺  $5 \div 4 = 1 \dots 1$

㊻  $14 \div 3 = 4 \dots 2$

㊼  $61 \div 7 = 8 \dots 5$

㊽  $23 \div 9 = 2 \dots 5$

㊾  $15 \div 9 = 1 \dots 6$

㊿  $8 \div 6 = 1 \dots 2$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

- |   |                         |    |                         |
|---|-------------------------|----|-------------------------|
| ① | $13 \div 2 = 6 \dots 1$ | ②⑥ | $11 \div 5 = 2 \dots 1$ |
| ② | $41 \div 9 = 4 \dots 5$ | ②⑦ | $49 \div 8 = 6 \dots 1$ |
| ③ | $74 \div 8 = 9 \dots 2$ | ②⑧ | $85 \div 9 = 9 \dots 4$ |
| ④ | $31 \div 8 = 3 \dots 7$ | ②⑨ | $46 \div 9 = 5 \dots 1$ |
| ⑤ | $17 \div 4 = 4 \dots 1$ | ③⑩ | $17 \div 5 = 3 \dots 2$ |
| ⑥ | $62 \div 7 = 8 \dots 6$ | ③⑪ | $9 \div 4 = 2 \dots 1$  |
| ⑦ | $22 \div 3 = 7 \dots 1$ | ③⑫ | $23 \div 7 = 3 \dots 2$ |
| ⑧ | $12 \div 9 = 1 \dots 3$ | ③⑬ | $43 \div 6 = 7 \dots 1$ |
| ⑨ | $59 \div 7 = 8 \dots 3$ | ③⑭ | $36 \div 5 = 7 \dots 1$ |
| ⑩ | $16 \div 9 = 1 \dots 7$ | ③⑮ | $49 \div 9 = 5 \dots 4$ |
| ⑪ | $13 \div 7 = 1 \dots 6$ | ③⑯ | $66 \div 7 = 9 \dots 3$ |
| ⑫ | $51 \div 6 = 8 \dots 3$ | ③⑰ | $65 \div 9 = 7 \dots 2$ |
| ⑬ | $61 \div 9 = 6 \dots 7$ | ③⑱ | $31 \div 4 = 7 \dots 3$ |
| ⑭ | $31 \div 7 = 4 \dots 3$ | ③⑲ | $50 \div 8 = 6 \dots 2$ |
| ⑮ | $60 \div 8 = 7 \dots 4$ | ④⑰ | $47 \div 9 = 5 \dots 2$ |
| ⑯ | $42 \div 5 = 8 \dots 2$ | ④⑱ | $53 \div 9 = 5 \dots 8$ |
| ⑰ | $64 \div 7 = 9 \dots 1$ | ④⑲ | $34 \div 6 = 5 \dots 4$ |
| ⑱ | $23 \div 8 = 2 \dots 7$ | ④⑲ | $62 \div 9 = 6 \dots 8$ |
| ⑲ | $20 \div 7 = 2 \dots 6$ | ④⑲ | $47 \div 5 = 9 \dots 2$ |
| ⑳ | $51 \div 7 = 7 \dots 2$ | ④⑲ | $28 \div 6 = 4 \dots 4$ |
| ㉑ | $22 \div 8 = 2 \dots 6$ | ④⑲ | $53 \div 7 = 7 \dots 4$ |
| ㉒ | $39 \div 8 = 4 \dots 7$ | ④⑲ | $22 \div 4 = 5 \dots 2$ |
| ㉓ | $30 \div 9 = 3 \dots 3$ | ④⑲ | $27 \div 6 = 4 \dots 3$ |
| ㉔ | $14 \div 6 = 2 \dots 2$ | ④⑲ | $11 \div 7 = 1 \dots 4$ |
| ㉕ | $30 \div 8 = 3 \dots 6$ | ⑤⑰ | $68 \div 7 = 9 \dots 5$ |

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $26 \div 6 = 4 \dots 2$

②  $16 \div 5 = 3 \dots 1$

③  $13 \div 8 = 1 \dots 5$

④  $25 \div 8 = 3 \dots 1$

⑤  $5 \div 3 = 1 \dots 2$

⑥  $19 \div 2 = 9 \dots 1$

⑦  $77 \div 8 = 9 \dots 5$

⑧  $25 \div 4 = 6 \dots 1$

⑨  $55 \div 7 = 7 \dots 6$

⑩  $21 \div 4 = 5 \dots 1$

⑪  $37 \div 7 = 5 \dots 2$

⑫  $10 \div 9 = 1 \dots 1$

⑬  $51 \div 9 = 5 \dots 6$

⑭  $47 \div 7 = 6 \dots 5$

⑮  $59 \div 8 = 7 \dots 3$

⑯  $13 \div 9 = 1 \dots 4$

⑰  $70 \div 8 = 8 \dots 6$

⑱  $5 \div 2 = 2 \dots 1$

⑲  $50 \div 7 = 7 \dots 1$

⑳  $10 \div 6 = 1 \dots 4$

㉑  $33 \div 7 = 4 \dots 5$

㉒  $41 \div 8 = 5 \dots 1$

㉓  $47 \div 8 = 5 \dots 7$

㉔  $16 \div 7 = 2 \dots 2$

㉕  $63 \div 8 = 7 \dots 7$

⑳  $20 \div 3 = 6 \dots 2$

㉗  $53 \div 6 = 8 \dots 5$

㉘  $40 \div 6 = 6 \dots 4$

㉙  $31 \div 6 = 5 \dots 1$

㉚  $43 \div 9 = 4 \dots 7$

㉛  $19 \div 8 = 2 \dots 3$

㉜  $24 \div 5 = 4 \dots 4$

㉝  $35 \div 9 = 3 \dots 8$

㉞  $13 \div 4 = 3 \dots 1$

㉟  $18 \div 7 = 2 \dots 4$

㊱  $28 \div 5 = 5 \dots 3$

㊲  $11 \div 3 = 3 \dots 2$

㊳  $42 \div 8 = 5 \dots 2$

㊴  $39 \div 7 = 5 \dots 4$

㊵  $13 \div 5 = 2 \dots 3$

㊶  $23 \div 5 = 4 \dots 3$

㊷  $43 \div 8 = 5 \dots 3$

㊸  $38 \div 5 = 7 \dots 3$

㊹  $74 \div 9 = 8 \dots 2$

㊺  $43 \div 5 = 8 \dots 3$

㊻  $11 \div 8 = 1 \dots 3$

㊼  $37 \div 5 = 7 \dots 2$

㊽  $62 \div 8 = 7 \dots 6$

㊾  $38 \div 8 = 4 \dots 6$

㊿  $43 \div 7 = 6 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $23 \div 3 = 7 \dots 2$

②  $17 \div 9 = 1 \dots 8$

③  $32 \div 9 = 3 \dots 5$

④  $57 \div 8 = 7 \dots 1$

⑤  $15 \div 8 = 1 \dots 7$

⑥  $50 \div 8 = 6 \dots 2$

⑦  $38 \div 7 = 5 \dots 3$

⑧  $21 \div 9 = 2 \dots 3$

⑨  $44 \div 8 = 5 \dots 4$

⑩  $8 \div 6 = 1 \dots 2$

⑪  $11 \div 4 = 2 \dots 3$

⑫  $18 \div 5 = 3 \dots 3$

⑬  $6 \div 4 = 1 \dots 2$

⑭  $15 \div 2 = 7 \dots 1$

⑮  $60 \div 9 = 6 \dots 6$

⑯  $36 \div 7 = 5 \dots 1$

⑰  $53 \div 9 = 5 \dots 8$

⑱  $56 \div 9 = 6 \dots 2$

⑲  $85 \div 9 = 9 \dots 4$

⑳  $43 \div 9 = 4 \dots 7$

㉑  $27 \div 5 = 5 \dots 2$

㉒  $13 \div 7 = 1 \dots 6$

㉓  $13 \div 9 = 1 \dots 4$

㉔  $9 \div 2 = 4 \dots 1$

㉕  $21 \div 6 = 3 \dots 3$

⑳  $43 \div 7 = 6 \dots 1$

㉑  $35 \div 9 = 3 \dots 8$

㉒  $19 \div 6 = 3 \dots 1$

㉓  $34 \div 6 = 5 \dots 4$

㉔  $5 \div 3 = 1 \dots 2$

㉕  $22 \div 4 = 5 \dots 2$

㉖  $87 \div 9 = 9 \dots 6$

㉗  $17 \div 3 = 5 \dots 2$

㉘  $40 \div 7 = 5 \dots 5$

㉙  $22 \div 6 = 3 \dots 4$

㉚  $76 \div 8 = 9 \dots 4$

㉛  $82 \div 9 = 9 \dots 1$

㉜  $25 \div 7 = 3 \dots 4$

㉝  $44 \div 5 = 8 \dots 4$

㉞  $70 \div 8 = 8 \dots 6$

㉟  $53 \div 8 = 6 \dots 5$

㊱  $13 \div 2 = 6 \dots 1$

㊲  $37 \div 5 = 7 \dots 2$

㊳  $73 \div 9 = 8 \dots 1$

㊴  $41 \div 9 = 4 \dots 5$

㊵  $12 \div 8 = 1 \dots 4$

㊶  $66 \div 9 = 7 \dots 3$

㊷  $25 \div 6 = 4 \dots 1$

㊸  $58 \div 6 = 9 \dots 4$

㊹  $17 \div 8 = 2 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $49 \div 8 = 6 \dots 1$

②  $41 \div 7 = 5 \dots 6$

③  $41 \div 6 = 6 \dots 5$

④  $7 \div 6 = 1 \dots 1$

⑤  $9 \div 4 = 2 \dots 1$

⑥  $21 \div 4 = 5 \dots 1$

⑦  $13 \div 4 = 3 \dots 1$

⑧  $26 \div 9 = 2 \dots 8$

⑨  $33 \div 5 = 6 \dots 3$

⑩  $10 \div 4 = 2 \dots 2$

⑪  $19 \div 2 = 9 \dots 1$

⑫  $35 \div 8 = 4 \dots 3$

⑬  $43 \div 6 = 7 \dots 1$

⑭  $57 \div 6 = 9 \dots 3$

⑮  $24 \div 9 = 2 \dots 6$

⑯  $55 \div 6 = 9 \dots 1$

⑰  $31 \div 7 = 4 \dots 3$

⑱  $11 \div 5 = 2 \dots 1$

⑲  $37 \div 4 = 9 \dots 1$

⑳  $9 \div 7 = 1 \dots 2$

㉑  $43 \div 8 = 5 \dots 3$

㉒  $44 \div 7 = 6 \dots 2$

㉓  $19 \div 5 = 3 \dots 4$

㉔  $34 \div 8 = 4 \dots 2$

㉕  $8 \div 5 = 1 \dots 3$

⑳  $17 \div 5 = 3 \dots 2$

㉗  $22 \div 3 = 7 \dots 1$

㉘  $80 \div 9 = 8 \dots 8$

㉙  $38 \div 4 = 9 \dots 2$

㉚  $51 \div 6 = 8 \dots 3$

㉛  $17 \div 2 = 8 \dots 1$

㉜  $71 \div 8 = 8 \dots 7$

㉝  $19 \div 7 = 2 \dots 5$

㉞  $69 \div 8 = 8 \dots 5$

㉟  $14 \div 9 = 1 \dots 5$

㊱  $52 \div 8 = 6 \dots 4$

㊲  $10 \div 6 = 1 \dots 4$

㊳  $34 \div 5 = 6 \dots 4$

㊴  $29 \div 8 = 3 \dots 5$

㊵  $51 \div 9 = 5 \dots 6$

㊶  $61 \div 9 = 6 \dots 7$

㊷  $47 \div 7 = 6 \dots 5$

㊸  $15 \div 9 = 1 \dots 6$

㊹  $29 \div 9 = 3 \dots 2$

㊺  $67 \div 9 = 7 \dots 4$

㊻  $37 \div 6 = 6 \dots 1$

㊼  $20 \div 3 = 6 \dots 2$

㊽  $76 \div 9 = 8 \dots 4$

㊾  $32 \div 7 = 4 \dots 4$

㊿  $28 \div 3 = 9 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $28 \div 8 = 3 \dots 4$

②  $13 \div 5 = 2 \dots 3$

③  $30 \div 8 = 3 \dots 6$

④  $30 \div 9 = 3 \dots 3$

⑤  $10 \div 9 = 1 \dots 1$

⑥  $21 \div 8 = 2 \dots 5$

⑦  $25 \div 9 = 2 \dots 7$

⑧  $55 \div 8 = 6 \dots 7$

⑨  $45 \div 6 = 7 \dots 3$

⑩  $25 \div 8 = 3 \dots 1$

⑪  $17 \div 6 = 2 \dots 5$

⑫  $24 \div 5 = 4 \dots 4$

⑬  $26 \div 5 = 5 \dots 1$

⑭  $31 \div 5 = 6 \dots 1$

⑮  $67 \div 8 = 8 \dots 3$

⑯  $88 \div 9 = 9 \dots 7$

⑰  $54 \div 8 = 6 \dots 6$

⑱  $34 \div 4 = 8 \dots 2$

⑲  $27 \div 4 = 6 \dots 3$

⑳  $58 \div 7 = 8 \dots 2$

㉑  $33 \div 7 = 4 \dots 5$

㉒  $35 \div 4 = 8 \dots 3$

㉓  $53 \div 6 = 8 \dots 5$

㉔  $9 \div 6 = 1 \dots 3$

㉕  $78 \div 9 = 8 \dots 6$

⑳  $68 \div 9 = 7 \dots 5$

㉗  $33 \div 8 = 4 \dots 1$

㉘  $31 \div 6 = 5 \dots 1$

㉙  $68 \div 7 = 9 \dots 5$

㉚  $15 \div 6 = 2 \dots 3$

㉛  $47 \div 9 = 5 \dots 2$

㉜  $23 \div 6 = 3 \dots 5$

㉝  $57 \div 9 = 6 \dots 3$

㉞  $10 \div 3 = 3 \dots 1$

㉟  $25 \div 3 = 8 \dots 1$

㊱  $39 \div 6 = 6 \dots 3$

㊲  $18 \div 8 = 2 \dots 2$

㊳  $54 \div 7 = 7 \dots 5$

㊴  $14 \div 8 = 1 \dots 6$

㊵  $26 \div 7 = 3 \dots 5$

㊶  $89 \div 9 = 9 \dots 8$

㊷  $22 \div 5 = 4 \dots 2$

㊸  $55 \div 9 = 6 \dots 1$

㊹  $65 \div 8 = 8 \dots 1$

㊺  $65 \div 9 = 7 \dots 2$

㊻  $42 \div 5 = 8 \dots 2$

㊼  $38 \div 9 = 4 \dots 2$

㊽  $77 \div 8 = 9 \dots 5$

㊾  $74 \div 8 = 9 \dots 2$

㊿  $33 \div 9 = 3 \dots 6$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $31 \div 9 = 3 \dots 4$

②  $33 \div 6 = 5 \dots 3$

③  $8 \div 7 = 1 \dots 1$

④  $58 \div 9 = 6 \dots 4$

⑤  $19 \div 8 = 2 \dots 3$

⑥  $75 \div 8 = 9 \dots 3$

⑦  $8 \div 3 = 2 \dots 2$

⑧  $31 \div 8 = 3 \dots 7$

⑨  $16 \div 7 = 2 \dots 2$

⑩  $56 \div 6 = 9 \dots 2$

⑪  $9 \div 5 = 1 \dots 4$

⑫  $7 \div 4 = 1 \dots 3$

⑬  $26 \div 4 = 6 \dots 2$

⑭  $12 \div 5 = 2 \dots 2$

⑮  $20 \div 9 = 2 \dots 2$

⑯  $45 \div 8 = 5 \dots 5$

⑰  $51 \div 8 = 6 \dots 3$

⑱  $7 \div 5 = 1 \dots 2$

⑲  $22 \div 8 = 2 \dots 6$

⑳  $42 \div 8 = 5 \dots 2$

㉑  $46 \div 5 = 9 \dots 1$

㉒  $47 \div 8 = 5 \dots 7$

㉓  $23 \div 8 = 2 \dots 7$

㉔  $75 \div 9 = 8 \dots 3$

㉕  $7 \div 2 = 3 \dots 1$

⑳  $50 \div 7 = 7 \dots 1$

㉑  $71 \div 9 = 7 \dots 8$

㉒  $60 \div 7 = 8 \dots 4$

㉓  $27 \div 6 = 4 \dots 3$

㉔  $52 \div 6 = 8 \dots 4$

㉕  $30 \div 4 = 7 \dots 2$

㉖  $26 \div 6 = 4 \dots 2$

㉗  $79 \div 9 = 8 \dots 7$

㉘  $58 \div 8 = 7 \dots 2$

㉙  $61 \div 7 = 8 \dots 5$

㉚  $64 \div 9 = 7 \dots 1$

㉛  $59 \div 7 = 8 \dots 3$

㉜  $37 \div 8 = 4 \dots 5$

㉝  $4 \div 3 = 1 \dots 1$

㉞  $46 \div 6 = 7 \dots 4$

㉟  $73 \div 8 = 9 \dots 1$

㊱  $18 \div 4 = 4 \dots 2$

㊲  $78 \div 8 = 9 \dots 6$

㊳  $5 \div 2 = 2 \dots 1$

㊴  $46 \div 8 = 5 \dots 6$

㊵  $22 \div 9 = 2 \dots 4$

㊶  $26 \div 8 = 3 \dots 2$

㊷  $29 \div 3 = 9 \dots 2$

㊸  $15 \div 4 = 3 \dots 3$

㊹  $52 \div 9 = 5 \dots 7$



## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $3 \div 2 = 1 \dots 1$

②  $60 \div 8 = 7 \dots 4$

③  $14 \div 3 = 4 \dots 2$

④  $45 \div 7 = 6 \dots 3$

⑤  $39 \div 4 = 9 \dots 3$

⑥  $43 \div 5 = 8 \dots 3$

⑦  $38 \div 8 = 4 \dots 6$

⑧  $14 \div 6 = 2 \dots 2$

⑨  $86 \div 9 = 9 \dots 5$

⑩  $34 \div 7 = 4 \dots 6$

⑪  $38 \div 5 = 7 \dots 3$

⑫  $69 \div 7 = 9 \dots 6$

⑬  $26 \div 3 = 8 \dots 2$

⑭  $17 \div 7 = 2 \dots 3$

⑮  $10 \div 7 = 1 \dots 3$

⑯  $40 \div 9 = 4 \dots 4$

⑰  $20 \div 6 = 3 \dots 2$

⑱  $16 \div 5 = 3 \dots 1$

⑲  $79 \div 8 = 9 \dots 7$

⑳  $61 \div 8 = 7 \dots 5$

㉑  $20 \div 8 = 2 \dots 4$

㉒  $46 \div 9 = 5 \dots 1$

㉓  $35 \div 6 = 5 \dots 5$

㉔  $23 \div 7 = 3 \dots 2$

㉕  $15 \div 7 = 2 \dots 1$

⑳  $49 \div 9 = 5 \dots 4$

㉗  $25 \div 4 = 6 \dots 1$

㉘  $22 \div 7 = 3 \dots 1$

㉙  $59 \div 6 = 9 \dots 5$

㉚  $64 \div 7 = 9 \dots 1$

㉛  $27 \div 7 = 3 \dots 6$

㉜  $39 \div 5 = 7 \dots 4$

㉝  $66 \div 8 = 8 \dots 2$

㉞  $32 \div 6 = 5 \dots 2$

㉟  $46 \div 7 = 6 \dots 4$

㊱  $48 \div 7 = 6 \dots 6$

㊲  $34 \div 9 = 3 \dots 7$

㊳  $23 \div 9 = 2 \dots 5$

㊴  $67 \div 7 = 9 \dots 4$

㊵  $21 \div 5 = 4 \dots 1$

㊶  $28 \div 9 = 3 \dots 1$

㊷  $27 \div 8 = 3 \dots 3$

㊸  $13 \div 8 = 1 \dots 5$

㊹  $69 \div 9 = 7 \dots 6$

㊺  $16 \div 6 = 2 \dots 4$

㊻  $59 \div 9 = 6 \dots 5$

㊼  $11 \div 7 = 1 \dots 4$

㊽  $44 \div 6 = 7 \dots 2$

㊾  $47 \div 5 = 9 \dots 2$

㊿  $16 \div 9 = 1 \dots 7$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $33 \div 4 = 8 \dots 1$

②  $51 \div 7 = 7 \dots 2$

③  $49 \div 5 = 9 \dots 4$

④  $70 \div 9 = 7 \dots 7$

⑤  $48 \div 9 = 5 \dots 3$

⑥  $49 \div 6 = 8 \dots 1$

⑦  $37 \div 7 = 5 \dots 2$

⑧  $39 \div 7 = 5 \dots 4$

⑨  $14 \div 4 = 3 \dots 2$

⑩  $7 \div 3 = 2 \dots 1$

⑪  $47 \div 6 = 7 \dots 5$

⑫  $5 \div 4 = 1 \dots 1$

⑬  $41 \div 8 = 5 \dots 1$

⑭  $59 \div 8 = 7 \dots 3$

⑮  $28 \div 5 = 5 \dots 3$

⑯  $50 \div 6 = 8 \dots 2$

⑰  $11 \div 3 = 3 \dots 2$

⑱  $36 \div 8 = 4 \dots 4$

⑲  $55 \div 7 = 7 \dots 6$

⑳  $23 \div 5 = 4 \dots 3$

㉑  $68 \div 8 = 8 \dots 4$

㉒  $52 \div 7 = 7 \dots 3$

㉓  $6 \div 5 = 1 \dots 1$

㉔  $62 \div 8 = 7 \dots 6$

㉕  $37 \div 9 = 4 \dots 1$

⑳  $62 \div 9 = 6 \dots 8$

㉗  $10 \div 8 = 1 \dots 2$

㉘  $42 \div 9 = 4 \dots 6$

㉙  $28 \div 6 = 4 \dots 4$

㉚  $63 \div 8 = 7 \dots 7$

㉛  $40 \div 6 = 6 \dots 4$

㉜  $17 \div 4 = 4 \dots 1$

㉝  $23 \div 4 = 5 \dots 3$

㉞  $77 \div 9 = 8 \dots 5$

㉟  $11 \div 6 = 1 \dots 5$

㊱  $14 \div 5 = 2 \dots 4$

㊲  $16 \div 3 = 5 \dots 1$

㊳  $11 \div 2 = 5 \dots 1$

㊴  $19 \div 4 = 4 \dots 3$

㊵  $12 \div 7 = 1 \dots 5$

㊶  $13 \div 6 = 2 \dots 1$

㊷  $50 \div 9 = 5 \dots 5$

㊸  $53 \div 7 = 7 \dots 4$

㊹  $30 \div 7 = 4 \dots 2$

㊺  $29 \div 6 = 4 \dots 5$

㊻  $41 \div 5 = 8 \dots 1$

㊼  $13 \div 3 = 4 \dots 1$

㊽  $20 \div 7 = 2 \dots 6$

㊾  $11 \div 9 = 1 \dots 2$

㊿  $66 \div 7 = 9 \dots 3$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $24 \div 9 = 2 \dots 6$

②  $46 \div 9 = 5 \dots 1$

③  $13 \div 3 = 4 \dots 1$

④  $29 \div 4 = 7 \dots 1$

⑤  $11 \div 9 = 1 \dots 2$

⑥  $64 \div 7 = 9 \dots 1$

⑦  $47 \div 5 = 9 \dots 2$

⑧  $4 \div 3 = 1 \dots 1$

⑨  $57 \div 7 = 8 \dots 1$

⑩  $34 \div 9 = 3 \dots 7$

⑪  $14 \div 6 = 2 \dots 2$

⑫  $28 \div 3 = 9 \dots 1$

⑬  $3 \div 2 = 1 \dots 1$

⑭  $9 \div 2 = 4 \dots 1$

⑮  $27 \div 6 = 4 \dots 3$

⑯  $43 \div 9 = 4 \dots 7$

⑰  $11 \div 7 = 1 \dots 4$

⑱  $47 \div 8 = 5 \dots 7$

⑲  $11 \div 3 = 3 \dots 2$

⑳  $30 \div 9 = 3 \dots 3$

㉑  $33 \div 9 = 3 \dots 6$

㉒  $65 \div 9 = 7 \dots 2$

㉓  $57 \div 9 = 6 \dots 3$

㉔  $26 \div 3 = 8 \dots 2$

㉕  $14 \div 9 = 1 \dots 5$

⑳  $67 \div 7 = 9 \dots 4$

㉗  $48 \div 7 = 6 \dots 6$

㉘  $37 \div 7 = 5 \dots 2$

㉙  $77 \div 8 = 9 \dots 5$

㉚  $20 \div 8 = 2 \dots 4$

㉛  $70 \div 8 = 8 \dots 6$

㉜  $29 \div 8 = 3 \dots 5$

㉝  $18 \div 7 = 2 \dots 4$

㉞  $15 \div 8 = 1 \dots 7$

㉟  $34 \div 8 = 4 \dots 2$

㊱  $57 \div 8 = 7 \dots 1$

㊲  $49 \div 8 = 6 \dots 1$

㊳  $22 \div 4 = 5 \dots 2$

㊴  $6 \div 4 = 1 \dots 2$

㊵  $52 \div 8 = 6 \dots 4$

㊶  $19 \div 2 = 9 \dots 1$

㊷  $42 \div 5 = 8 \dots 2$

㊸  $17 \div 6 = 2 \dots 5$

㊹  $21 \div 5 = 4 \dots 1$

㊺  $39 \div 8 = 4 \dots 7$

㊻  $20 \div 6 = 3 \dots 2$

㊼  $77 \div 9 = 8 \dots 5$

㊽  $21 \div 6 = 3 \dots 3$

㊾  $54 \div 8 = 6 \dots 6$

㊿  $19 \div 6 = 3 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $82 \div 9 = 9 \dots 1$

②  $35 \div 8 = 4 \dots 3$

③  $32 \div 5 = 6 \dots 2$

④  $7 \div 3 = 2 \dots 1$

⑤  $49 \div 9 = 5 \dots 4$

⑥  $53 \div 7 = 7 \dots 4$

⑦  $25 \div 8 = 3 \dots 1$

⑧  $27 \div 7 = 3 \dots 6$

⑨  $19 \div 4 = 4 \dots 3$

⑩  $11 \div 5 = 2 \dots 1$

⑪  $35 \div 9 = 3 \dots 8$

⑫  $44 \div 9 = 4 \dots 8$

⑬  $38 \div 4 = 9 \dots 2$

⑭  $43 \div 5 = 8 \dots 3$

⑮  $41 \div 7 = 5 \dots 6$

⑯  $10 \div 3 = 3 \dots 1$

⑰  $44 \div 5 = 8 \dots 4$

⑱  $78 \div 9 = 8 \dots 6$

⑲  $53 \div 8 = 6 \dots 5$

⑳  $13 \div 4 = 3 \dots 1$

㉑  $60 \div 9 = 6 \dots 6$

㉒  $31 \div 9 = 3 \dots 4$

㉓  $74 \div 9 = 8 \dots 2$

㉔  $29 \div 5 = 5 \dots 4$

㉕  $64 \div 9 = 7 \dots 1$

⑳  $26 \div 8 = 3 \dots 2$

㉑  $26 \div 5 = 5 \dots 1$

㉒  $17 \div 9 = 1 \dots 8$

㉓  $19 \div 9 = 2 \dots 1$

㉔  $41 \div 6 = 6 \dots 5$

㉕  $46 \div 5 = 9 \dots 1$

㉖  $13 \div 6 = 2 \dots 1$

㉗  $29 \div 9 = 3 \dots 2$

㉘  $15 \div 7 = 2 \dots 1$

㉙  $37 \div 9 = 4 \dots 1$

㉚  $32 \div 9 = 3 \dots 5$

㉛  $11 \div 8 = 1 \dots 3$

㉜  $53 \div 6 = 8 \dots 5$

㉝  $63 \div 8 = 7 \dots 7$

㉞  $28 \div 8 = 3 \dots 4$

㉟  $25 \div 4 = 6 \dots 1$

㊱  $12 \div 9 = 1 \dots 3$

㊲  $50 \div 7 = 7 \dots 1$

㊳  $45 \div 6 = 7 \dots 3$

㊴  $58 \div 8 = 7 \dots 2$

㊵  $15 \div 9 = 1 \dots 6$

㊶  $79 \div 9 = 8 \dots 7$

㊷  $16 \div 9 = 1 \dots 7$

㊸  $29 \div 7 = 4 \dots 1$

㊹  $44 \div 6 = 7 \dots 2$